Commission for the Conservation of Southern Bluefin Tuna



みなみまぐろ保存委員会

CCSBT-ESC/0909/06

Data Exchange (ESC agenda item 11.1)

Introduction

Draft data exchange requirements for 2010 are provided in Attachment A. The attachment shows the proposed data that are to be provided during 2010 and the dates and responsibilities for the data provision.

These requirements are based on the 2009 data exchange requirements, with some changes where the Secretariat considered appropriate. *Changes from the 2009 requirements (apart from minor editorial changes and incrementing the year) are tracked within Attachment A.*

Catch effort and size data should be provided in the identical format as that were provided in 2009. If the format of the data provided by a member is changed, then the new format and some test data in that format should be provided to the Secretariat by 31 January 2010 to allow development of the necessary data loading routines.

Data listed in Attachment A should be provided for the complete 2009 calendar year plus any other year for which the data have changed. If changes to historic data are more than a routine update of the 2008 data or very minor corrections to older data, then the changed data will not be used until discussed at the next SAG/ESC meeting (unless there was specific agreement to the contrary). Changes to past data (apart from a routine update of 2008 data) must be accompanied by a detailed description of the changes.

Prepared by the Secretariat

Type of Data	Data Describer (c)	Due	
to provide ¹ CCSBT Data CD	Provider(s) Secretariat	Date 31 Jan 10	Description of data to provide An update of the data (catch effort, catch at size, raised
	Secretariat	51 J an 10	 catch and tag-recapture) on the data CD to incorporate data provided in the 2009 data exchange and any additional data received since that time, including: Tag/recapture data (<i>The Secretariat will provided additional updates of the tag-recapture data during 2010 on request from</i>
			<i>individual members</i>);Update the unreported catch estimates using the revised scenario (S1L1) produced at SAG9,
<u>New Zealand</u> joint venture	New Zealand	<u>23Apr 10</u>	<u>New Zealand to provide the secretariat with a</u> summary of observed trips, by vesselID, for New
summary of observed trips			Zealand joint venture vessels.
			Secretariat Comment: These data are required so that the Secretariat can provide NZ with a summary of Observed catch and effort data, which is required for NZ preparation of joint venture shot by shot data.
Total catch by Fleet	all Members and	30 Apr 10	Raised total catch (weight and number) and number of boats fishing by fleet and gear. These data need to be
neet .	Cooperating Non-Members (excluding Indonesia – which is specified later)		provided for both the calendar year and the quota year.
Recreational catch	all Members and Cooperating Non-Members that have recreational catches	30 April 10	Raised total catch (weight and number) of any recreationally caught SBT if data are available. A complete historic time series of recreation catch estimates should be provided (unless this has previously been provided). Where there is uncertainty in the recreational catch estimates, a description or estimate of the uncertainty should be provided.
SBT import statistics	Japan	30 Apr 10	Weight of SBT imported into Japan by country, fresh/frozen and month. These import statistics are used in estimating the catches of non-member countries.
Mortality allowance (RMA and SRP) usage	all Members (& Secretariat)	30 Apr 10	The mortality allowance (kilograms) that was used in the 2009 calendar year. Data is to be separated by RMA and SRP mortality allowance. If possible, data should also be separated by month and location.
Catch and Effort	all Members (& Secretariat)	23 Apr 10 (New Zealand) ²	Catch (in numbers and weight) and effort data is to be provided as either shot by shot or as aggregated data
		30 Apr 10 (other members, South Africa & Secretariat) 31 July 10	(New Zealand provides fine scale shot by shot data which is aggregated and distributed by the Secretariat). The maximum level of aggregation is by year, month, fleet, gear, and 5x5 degree (longline fishery) or 1x1 degree for surface fishery. Indonesia will provide estimates based on either shot by shot or as aggregated
		(Indonesia)	data from the trial Scientific Observer Program. It was noted that with the implementation of two new statistical areas (areas 14 and 15), that catch and effort data should be provided with all fishing effort in these new areas regardless of whether SBT were caught (as is done for areas 1-10).

¹ The text "<u>For MP/OM</u>" means that this data is used for both the Management Procedure and the Operating Model. If only one of these items appears (e.g. <u>For OM</u>), then the data is only required for the specified item. ² The earlier date specified for New Zealand is so that the Secretariat will be able to process the fine scale New Zealand data in time to provide aggregated and raised data to members by 30 April.

	Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
	Historical effort for areas 14 and 15)	Korea	30 Apr 10	The complete historic time series for areas 14 and 15 of all Members needs to be revised to provide full fishing effort in areas 14 and 15.
				This was to be provided as part of the 2007 data exchange (before SAG8) by all Members who had fished in areas 14 and 15. Only one Member has yet to provide (or advise in relation to) this information.
	Non-retained catches	All Members	30 Apr 10 (most Members)	The following data concerning non retained catches will be provided by year, month, and 5*5 degree for each fishery:
			31 July 10 (Indonesia)	 Number of SBT reported (or observed) as being non-retained; Raised number of non-retained SBT taking into consideration vessels and periods in which there
				 was no reporting of non-retained SBT; Estimated size frequency of non-retained SBT after raising; Details of the fate and/or life status of non-retained
				fish. Indonesia will provide estimates based on either shot by shot or as aggregated data from the trial Scientific Observer Program.
	Research and 'other' mortalities	Australia, Japan	30 Apr 10	Research mortalities prior to 2001 and any other forms of mortalities up to 2006 that have not been provided as part of the data exchange. Data should be provided at 5*5 by month resolution if available, but otherwise at the best available resolution.
				This due date was set at SC11. Therefore as at 30 April 20092010, Members will have had nearly 32_44 months to comply with this requirement. From this date, these "other" mortalities will be counted as part of the total catches in future global catch tables produced by the Secretariat.
				Secretariat Comment: Australia has been removed from this requirement, as they advised during the 2009 Data exchange, that they did not have records of this data, and they would advise the Scientific Committee if this changes. Japan has yet to provide advice on this
	RTMP catch and	Japan	30 Apr 10	Ints changes. Japan has yet to provide davice on this <u>data.</u> The catch and effort data from the real time
	effort data	L		monitoring program should be provided in the same format as the standard logbook data is provided.
	NZ joint venture catch and effort data at 1*1 spatial resolution	Secretariat	30 Apr 10	Aggregated New Zealand catch and effort data, to $1*1$ degrees of resolution instead of $5*5$ degrees. The Secretariat will produce and provide these data to Japan only for use in the W _{0.5} and W _{0.8} CPUE indices produced by Japan. <i>Other members may request approval from New Zealand to be provided with access to these data for necessary analyses.</i>
-	NZ joint venture catch and effort with Observers	Secretariat	<u>28 Apr 10</u>	A summary of NZ joint venture catch and effort data, to be provided to New Zealand only, specifying which shots had an observer on board.
				<u>Secretariat Comment: These data are required so that</u> <u>New Zealand can provide shot by shot data for the NZ</u> joint venture to Japan.

Type of Data	Data	Due	
to provide ¹	Provider(s)	Date	Description of data to provide
New Zealand joint venture shot by shot data	New Zealand	30 Apr 10	Shot by shot data for New Zealand joint venture vessels in statistical areas 5 and 6 for 2008. These data should specify which shots had an observer on board. These data are only being provided to Japan and are for use in the new CPUE index.
Raised catch data for AU, NZ and KR catches	Australia, Secretariat	30 Apr 10	Aggregated raised catch data should be provided at a similar resolution as the catch and effort data. Japan and Taiwan do not need to provide anything here because they provide raised catch and effort data. New Zealand does not need to provide anything here because the Secretariat produces New Zealand's raised catch data from the fine scale data provided by New Zealand. Similarly, the Secretariat will be calculating and providing the raised catch data for Korea (based on raising Korea's catch effort data to its total catch).
Observer length frequency data	New Zealand	30 Apr 10	Raw observer length frequency data as provided in previous years.
Raised Length Data	Australia, Taiwan, Japan, New Zealand	30 Apr 10 (Australia, Taiwan, Japan) 7 May 10 (New Zealand) ³	Raised length composition data should be provided ⁴ at an aggregation of year, month, fleet, gear, and 5x5 degree for longline and 1x1 degree for other fisheries. Data should be provided in the finest possible size classes (1 cm). A template showing the required information is provided in Attachment C of CCSBT- ESC/0609/08.
RTMP Length data	Japan	30 Apr 10	The length data from the real time monitoring program should be provided in the same format as the standard length data is provided.
Raw Size Data	Korea	30 Apr 10	Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. <i>However, Korea is</i> <i>encouraged to improve its sample sizes of length</i> <i>frequency data in the future.</i>
Indonesian LL SBT age and size composition	Australia Indonesia	30 Apr 10	Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided.
			Indonesia will provide size composition in length and weight based on the Port-based Tuna Monitoring Program. Australia will provide age composition data according to current data exchange protocols.

³ The additional week provided for New Zealand is because New Zealand requires the raised catch data that the Secretariat is scheduled to provide on 30 April.
 ⁴ The data should be prepared using the agreed CCSBT substitution principles where practicable. It is important that the complete method used for preparing the raised length data be fully documented.

Type of Data	Data	Due	
to provide ¹	Provider(s)	Date	Description of data to provide
Direct ageing	All Members	30 Apr 10	Updated direct age estimates (and in some cases
data		r -	revised series due to a need to re-interpret the otoliths)
			from otolith collections. Data must be provided for at
			least the 2006 calendar year (see paragraph 95 of the
			2003 ESC report). Members will provide more recent
			data if these are available. The format for each otolith
			is: Flag, Year, Month, Gear Code, Lat, Long, Location
			Resolution Code ⁵ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ⁶ , Sex Code,
			Comments.
Trolling survey	Japan	30 Apr 10	Estimates of the different trolling indices for the
index	Japan	50 Apr 10	2008/09 season (ending Jan 2009), including any
moon			estimates of uncertainty (e.g. CV).
Tag return	Secretariat	30 Apr 10	Updated summary of the number tagged and
summary data		-	recaptured per month and season.
Catch at age data	Australia,	14 May 10	Catch at age (from catch at size) data by fleet, 5*5
	Taiwan,		degree, and month to be provided by each member for
	Japan,		their longline fisheries. The Secretariat will produce
	Secretariat		the catch at age for New Zealand using the same
			routines it uses for the CPUE input data and the catch
Total Indonesian			at age for the MP. The 2009 catch of SBT in numbers and weight and the
catch by month	Indonesia	15 May 10	number of vessels fishing for SBT for each port and
and % of	maonesia	15 May 10	month. Also the 2009 total catch by weight of each
Indonesian LL			species.
catch that is SBT			х
Global SBT catch	Secretariat	22 May 10	Global SBT catch by flag and gear as provided in
by flag and by			recent reports of the Scientific Committee.
gear	A 1	24.24 107	
Raised catch-at-	Australia	24 May 10 ⁷	These data will be provided for July 2008 to June 2009
age for the Australia surface			in the same format as previously provided.
fishery			
For OM			
Raised catch-at-	Secretariat	24 May 10	These data will be provided for July 2008 to June 2009
age for Indonesia		5	in the same format as on the CCSBT Data CD.
spawning ground			
fisheries. For			
ОМ			
Total catch per	Secretariat	31 May 10	The Secretariat will use the various data sets provided
fishery each year			above together with previously agreed calculation
from 1952 to			methods to produce the necessary total catch by
2008.			fishery data required by both the Management
For MP/OM			Procedure and the Operating Model.
Catch-at-length	Secretariat	31 May 10	The Secretariat will use the various catch at length and
(2 cm bins) and catch-at-age			catch at age data sets provided above to produce the necessary length and age proportion data required by
proportions for			the operating model (for LL1, LL2, LL3, LL4 –
<u>OM</u>			separated by Japan and Indonesia, and the surface
			fishery). The Secretariat will also provide these catch
			at length data subdivided by sub fishery (e.g. the
			fisheries within LL1).

 ⁵ M1=1 minute, D1=1 degree, D5=5 degree.
 ⁶ Scales (0-5) of readability and confidence for otolith sections as defined in the CCSBT age determination

manual. ⁷ The date is set 1 week before 31 May to provide sufficient time for the Secretariat to incorporate these data in the data set it provides for the OM on 31 May.

T	- D-4-	Deer	
Type of Dat to provide ¹		Due Date	Description of data to provide
Catch at Age <u>f</u> <u>MP</u>		31 May 10	Cohort slicing by month of the 5*5 raised length data provided by members. The data used is the data for LL1 fisheries only. For LL1 fisheries where raised length data are not available (i.e. Korea, Philippines,
			Miscellaneous), the Secretariat will use Japanese length frequency data as a substitute in the same manner as conducted when producing the length frequency inputs for the operating model.
			Secretariat Question: Should this data continue to be provided in light of the continuing work of the CPUE modelling group?
Global catch a age		31 May 10	Calculate the total catch-at-age in 2009 according to Attachment 7 of the MPWS4 report except that catch- at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.
CPUE input da		31 May 10	Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data ⁸ by year, month, and 5*5 lat/long for use in CPUE analysis.
Tag releases / recoveries and reporting rates For OM		31 May 10	The RMP tag/recapture data for the period 1991-1997 will be updated for any changed/new data in the database.
CPUE series.	Australia / Japan	15 Jun 10 (earlier if possible) ⁹	 5 CPUE series are to be provided for ages 4+, as specified below: Nominal (Australia) Laslett Core Area (Australia) B-Ratio proxy (W0.5) (Japan) Geostat proxy (W0.8) (Japan) ST Windows (Japan) The number of 1*1 degree fished squares in each 5*5 degree square. These data will be accessed only by the Secretariat¹⁰. (Japan) The operating model uses the median of these series.
			Secretariat Question: Should this data continue to be provided in light of the continuing work of the CPUE modelling group?
Aerial survey index	Australia	31 Jul 10 (every attempt will be made to provide this at least 4 weeks earlier)	Estimate of the aerial survey index from the 2009/10 fishing season, including any estimates of uncertainty (e.g. CV).
Commercial spotting index	Australia	31 Jul 10	Estimate of the commercial spotting index from the 2009/10 season, including any estimates of uncertainty (e.g. CV).

⁸ Data restricted to months April to September, SBT statistical areas 4-9, and the Japanese, Australian joint venture and New Zealand joint venture fleets.

⁹ When there are no complications, it is possible to calculate the CPUE series less than two weeks after the CPUE input data is provided. Therefore, if there are no complications, Members should attempt to provide the CPUE series earlier than 15 June. ¹⁰ These data will be temporarily accessed, under Japan's supervision, by the Secretariat to allow the Secretariat

to verify calculation of the ST Windows CPUE series.