Commission for the Conservation of Southern Bluefin Tuna



みなみまぐろ保存委員会

CCSBT-ESC/0809/08

Data Exchange (ESC agenda item 15.1) データ交換(ESC 議題項目 15.1)

Introduction 序文

Draft data exchange requirements for 2009 are provided in Attachment A. The attachment shows the proposed data that are to be provided during 2009 and the dates and responsibilities for the data provision.

2009年のデータ交換の要件案は、別紙 A。別紙には、2009年に提供されるべきデータの案並びにデータ提供の期日及び責任を示した。

These requirements are based on the 2008 data exchange requirements, with some changes where the Secretariat considered appropriate. *Changes from the 2008 requirements (apart from minor editorial changes and incrementing the year) are tracked within Attachment A.* これら要件は、2008年のデータ交換要件をもとに、事務局が適当であるとみなした 何点かの変更を加えたものである。2008 年要件からの変更点は、別紙A に変更履歴 の記録を付した(編集上の小変更及び年が増えたことは除く)。

Catch effort and size data should be provided in the identical format as that were provided in 2008. If the format of the data provided by a member is changed, then the new format and some test data in that format should be provided to the Secretariat by 31 January 2009 to allow development of the necessary data loading routines.

漁獲努力量及びサイズ・データは、2008年に提供されたものと同一の書式とされる べきである。メンバーによるデータ提供の書式が変わるのであれば、データを取り 込むのに必要なルーチンの開発を可能にするため、新たな書式とある程度のテス ト・データが 2009年1月31日までに事務局に提供される必要がある。

Data listed in Attachment A should be provided for the complete 2008 calendar year plus any other year for which the data have changed. If changes to historic data are more than a routine update of the 2007 data or very minor corrections to older data, then the changed data will not be used until discussed at the next SAG/SC meeting (unless there was specific agreement to the contrary). Changes to past data (apart from a routine update of 2007 data) must be accompanied by a detailed description of the changes.

別紙Aに示した項目について、2008年暦年全体のデータ及びデータの変更があった 年のデータを提出するものとする。過去のデータへの変更が2007年データの定期的 更新以上の場合又は2007年以前のデータへの小変更以上である場合、SAG/SCの次 回会合で討議されるまで、これらの変更データは使用されない(特例の合意がある場 合を除く)。過去のデータを変更した場合(2007年データの定期的更新以外)は、変更 内容を詳細に説明した文書を添付が求められる。 Prepared by the Secretariat 事務局作成文書

Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
Trolling survey index	Japan	1 Nov 07	Historical time series of the different trolling indices up to and including the 2006/07 season (ending Jan 2007)and including any estimates of uncertainty (e.g. CV). A description of each of the different indices should also be provided.
Commercial spotting index	Australia	1 Nov 07	Historical time series of the commercial spotting index up to and including the 2006/07 season and including any estimates of uncertainty (e.g. CV).
Raised Length Data	New Zealand	16 Nov 07	Revised raised length data for 1995 to incorporate the reallocation of 23.681t from the New Zealand charter fleet to the New Zealand domestic fleet ² .
CCSBT Data CD	Secretariat	31 Jan 09	 An update of the data (catch effort, catch at size, raised catch and tag-recapture) on the data CD to incorporate data provided in the 2008 data exchange and any additional data received since that time, including: Tag/recapture data (<i>The Secretariat will provided additional updates of the tag-recapture data during 2009 on request from individual members</i>); Reallocation of 23.681t in 1995 from NZ charter fleet to domestic fleet and update of associated raised data sets (raised/official catch, catch at size/age, CPUE Inputs, MP/OM Data)²; Updated Indonesian catch estimates from IOTC³, and update associated raised catch at age and MP/OM data; and Incorporate Japan's revised fishing effort data for areas 14/15 into Japan's catch and effort data⁴. Update the CPUE inputs file and MP/OM data accordingly (the latter is due to removal of 3 cells
Total catch by Fleet	all Members and Cooperating Non- Members	30 Apr 09	that previously had 31 SBT).Raised total catch (weight and number) and numberof boats fishing by fleet and gear. These data need tobe provided for both the calendar year and the quotayear.Members and cooperating non-members are alsorequired to describe the methods (e.g. the use andvalue of conversion factors) by which any processedweights are converted to whole weights forestimating the total catch of each fleet. Thisinformation will be presented to the 2008 ESCmeeting as part of the Secretariat's report on theglobal catch table.

¹ The text "For MP/OM" means that this data is used for both the Management Procedure and the Operating Model. If only one of these items appears (e.g. For OM), then the data is only required for the specified item.
 ² See Data Exchange Update e mail dated 16 May 2007.
 ³ See Data Exchange Update e mail dated 13 June 2007.
 ⁴ See Data Exchange Update e-mail dated 14 June 2007.

	Tumo of Doto	Data	Duo	
	Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
	Recreational	all Members and	30 April 09	Raised total catch (weight and number) of any
	catch	Cooperating Non-	50 / 10/100	recreationally caught SBT. A complete historic time
	• • • • • • • • • • • • • • • • • • • •	Members that		series of recreation catch estimates should be
		have recreational		provided (unless this has previously been provided).
		catches		Where there is uncertainty in the recreational catch
				estimates, a description or estimate of the uncertainty
				should be provided.
				The recreational catch estimates will be included in
				the global eatch table produced by the Secretariat for
	(DT)	Ŧ	20.4.00	the 2008 ESC meeting.
	SBT import	Japan	30 Apr 09	Weight of SBT imported into Japan by country,
	statistics			fresh/frozen and month. These import statistics are used in estimating the catches of non-member
				countries.
	Mortality	all	30 Apr 09	The mortality allowance (kilograms) that was used in
	allowance (RMA	Members	50 1101 05	the 2008 calendar year. Data is to be separated by
	and SRP) usage	(& Secretariat)		RMA and SRP mortality allowance. If possible, data
	,	(,		should also be separated by month and location.
	Catch and Effort	all Members	23 Apr 09	Catch (in numbers and weight) and effort data is to
		(& Secretariat)	(New Zealand) ⁵	be provided as either shot by shot or as aggregated
			•••	data (New Zealand provides fine scale shot by shot
			30 Apr 09	data which is aggregated and distributed by the
			(other members, South Africa &	Secretariat). The maximum level of aggregation is
			Secretariat)	by year, month, fleet, gear, and 5x5 degree (longline
				fishery) or 1x1 degree for surface fishery.
				It was noted that with the implementation of two new statistical
				areas (areas 14 and 15), that catch and effort data should be
				provided with all fishing effort in these new areas regardless of whether SBT were caught (as is done for areas 1-10).
	Historical effort			The complete historic time series for areas 14 and 15
1	for areas 14 and	Taiwan, Korea	30 Apr 09	of all Members needs to be revised to provide full
	15)	,	1	fishing effort in areas 14 and 15.
				This was to be provided as part of the 2007 data
1				exchange (before SAG8) by all Members who had fished in areas 14 and 15. However, as at SC12,
				only Japan had provided Only one Member has yet to
				provide (or advise in relation to) this information.
I	Non-retained	All Members	30 Apr 09	The following data concerning non retained catches
	catches			will be provided by year, month, and 5*5 degree for
				each fishery:
				• Number of SBT reported (or observed) as being
				non-retained;
				• Raised number of non-retained SBT taking into
				consideration vessels and periods in which there
				was no reporting of non-retained SBT;
				• Estimated size frequency of non-retained SBT
				after raising;
				• Details of the fate and/or life status of non-
				retained fish.

I

⁵ The earlier date specified for New Zealand is so that the Secretariat will be able to process the fine scale New Zealand data in time to provide aggregated and raised data to members by 30 April.

Γ	Terra of Doto	Data	Due	
	Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
	Research and		30 Apr 09 <mark>?</mark>	Research mortalities prior to 2001 and any other
	'other'	membersAustralia,	50 Hpi 05 <mark>.</mark>	forms of mortalities up to 2006 that have not been
	mortalities	Japan		provided as part of the data exchange. Data should
				be provided at 5*5 by month resolution if available,
				but otherwise at the best available resolution.
				This due date was set at SC11. Therefore as at 30
				April 2008, Members will have had nearly 20 months
				to comply with this requirement. From this date,
				these "other" mortalities will be counted as part of
				the total catches in future global catch tables
			20.4.00	produced by the Secretariat.
	RTMP catch and	Japan	30 Apr 09	The catch and effort data from the real time
	effort data			monitoring program should be provided in the same
	NZ joint venture	Secretariat	30 Apr 09	format as the standard logbook data is provided. Aggregated New Zealand catch and effort data, to
	catch and effort	Secretariat	50 Api 09	1*1 degrees of resolution instead of 5*5 degrees.
	data at 1*1			The Secretariat will produce and provide these data
	spatial resolution			to Japan only for use in the $W_{0.5}$ and $W_{0.8}$ CPUE
	spana resolution			indices produced by Japan. Other members may
				request approval from New Zealand to be provided
				with access to these data for necessary analyses.
				Secretariat Comment: It has yet to be determined if
				the W _{0.5} and W _{0.8} CPUE indices will be required in
				2009. Therefore this and the associated data
			20.11	requirements may change.
	New Zealand and	New Zealand	30 Nov	Shot by shot data for New Zealand-and Australian
	Australian-joint venture shot by	Austrania	07<u>Apr 09</u>	joint venture vessels in statistical areas 5 and $6 \frac{\text{for}}{2008}$. These data should specify which shots had an
	shot data ⁶			observer on board. These data are only being
	shot data			provided to Japan and are to assist in the analysis
				recommended in paragraph 33, bullet 2 of the SAG8
				report for use in the new CPUE index.
				*
				Secretariat Comment: It has yet to be determined if
				<u>these data will be required in this form during 2009.</u>
				Therefore this data requirement may change.
	Raised catch data	Australia,	30 Apr 09	Aggregated raised catch data should be provided at a
	for AU, NZ and	Secretariat		similar resolution as the catch and effort data. Japan
	KR catches			and Taiwan do not need to provide anything here
				because they provide raised catch and effort data.
				New Zealand does not need to provide anything here
				because the Secretariat produces New Zealand's raised catch data from the fine scale data provided by
				New Zealand. Similarly, the Secretariat will be
				calculating and providing the raised catch data for
				Korea (based on raising Korea's catch effort data to
				its total catch).
L				

⁶ Subject to obtaining authorisation to release such data to Japan.

Observer length frequency data Ruised Length Data New Zealand 30 Apr 09 (Australia, Taiwan, Japan, New Zealand) Raw observer length frequency data as provided in previous years. Data Australia, Taiwan, Japan, New Zealand 30 Apr 09 (Australia, Taiwan, Japan) Raw observer length frequency data as provided in at an aggregation of year, month, fleet, gegre, and SSS possible size classes (1 cm). A template showing the required information is provided in Attachment C of CCSBT-ESC/0609/08. RTMP Length data Japan 30 Apr 09 (New Zealand) The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Extimates of both the age and size so ol ength eccause Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length provided by Korea instead of raised length data. Direct ageing data All Members 30 Apr 09 Estimates of both the age and size corportion (in the visied series also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in sonce asser revised series due to a next ore ore-interpret the 2008 calendar year and gas frequency for the 2006. Lat, Long, Locatio	Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
Frequency data Previous years. Instruction Raised Length Australia, Taiwan, Japan, New Zealand 30 Apr 09 (Australia, Taiwan, Japan) Raised length composition data should be provided ⁸ at an aggregation of year, month, fleet, gear, and 5x5 degree for longline and 1x1 degree for other fisherics. Data should be provided in the finest possible size classes (1 cm). A template showing the required information is provided in Attachment C of CCSBT-ESC/0609/08. RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL BBT age and size composition Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the sponvided. Direct ageing data All Members 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Trolling survey index Japan 30 Apr 09 Estimates of the different trolling indices for the 2008/03-memond <td< td=""><td></td><td></td><td></td><td></td></td<>				
Raised Length Data Australia, Taiwan, Japan, New Zealand 30 Apr 09 (New Zealand) Raised length composition data should be provided ¹⁵ degree for longline and 1x1 degree for other fisheries. Data should be provided in the finest possible size classes (1 cm). A template showing the couried information is provided in Attachment C of CCSBT-ESC/0609/08. RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 The length data from the real time monitoring program should be provided. Raw Size Data Korea 30 Apr 09 The length data from the real time monitoring program should be provided. Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in precure) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a neet to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for 2006.07-eston and Taiwan will provide data for 2006.07-eston and Taiwan will provide data for 2006.07- for format for cach otolith ib; Flag, Year. Month, Gear code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.	-		1	• • • •
Data Japan, New Zealand (Australia, Tai'wan, Japan) at an aggregation of year, month, fleet, gear, and Sx5 degree for longtime and 1x1 degree for other fisheries. Data should be provided in the finest possible size classes (1 cm). A template showing the required information is provided in Attachment C of CCSBT-ESC/0609/08. RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL SBT age and size composition Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawing season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year and age frequency for the 2007 calendar year and age frequency for the 2008 calendar year and size for the 2006-The somon and Taiwan will provide data for the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Membe	Raised Length	Australia, Taiwan,	30 Apr 09	
Rew Zealand To May Op (New Zealand) To May Op (New Zealand) To May Op (New Zealand) RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the finest provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for 2000; reacon, med Taiwan will provide data for 2000; reacon, free formation for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code, 'Stat Area, Length, Otolith D. Age estimate, age and recaptured per month and season. Trolling survey	Data	Japan,		
Image of the second of the		New Zealand	Taiwan, Japan)	degree for longline and 1x1 degree for other
(New Zealand) ⁷ (New Zealand) ⁷ (Possible 32C closes (1 Cit)). A 'tellinghet showing the required information is provided in Attachment C of CCSBT-ESC/0609/08. RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the totliths) from tollth collections. Data must be provided for at least the 2006 calendar year is also to be provided. Trolling survey index Japan 30 Apr 09 Updated direct age estimates (and in some cases will provide dua for the 2006, calendar for the 2006, calendar of the 2008 Cort research and thre cach to the 2008 calendar of the 2008, calend for the 2008, calendar of the 2008 Cort research an			7 May 00	
RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. <i>However, Korea</i> <i>is encouraged to improve its sample sizes of length</i> <i>frequency data in the future.</i> Indonesian LL SBT age and size composition Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the 2008 calendar year is also to be provided. Trolling survey index Japan 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the 2008 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments. Trolling survey index 30 Apr 09 Estimates of the different rolling infiles for the 2008/09 season (ending Jan 2009), including any estimates of the different rolling infiles for the 2008/09 season.			(New Zealand) ⁷	
RTMP Length data Japan 30 Apr 09 The length data from the real time monitoring program should be provided in the same format as the standard length weight measurement data should be provided by Korea instead of raised length data Raw Size Data Korea 30 Apr 09 Raw length weight measurement data should be provided by Korea instead of raised length data Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from tolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for these are available. Australia will provide data for these are available. Australia will provide data for these 2006. The format for each tolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁴ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ⁴⁰ , Sex Code, Comments. Trolling survey index Japan 30 Apr 09 Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV). Tag return summary data 14 May 09 Catch at age for mexch at size / data by fleet, 5** degree, and month to be provided by each member for t				
data program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data is provided. Indonesian LL Australia 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith TD, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments. Trolling survey index Japan 30 Apr 09 Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV). Tag return Secretariat 30 Apr 09 Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV). Tag return				CCSB1-ESC/0609/08.
data program should be provided in the same format as the standard length data is provided. Raw Size Data Korea 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data is provided. Indonesian LL Australia 30 Apr 09 Raw length/weight measurement data should be provided by Korea instead of raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future. Indonesian LL Australia 30 Apr 09 Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided. Direct ageing data All Members 30 Apr 09 Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith TD, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments. Trolling survey index Japan 30 Apr 09 Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV). Tag return Secretariat 30 Apr 09 Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV). Tag return	RTMP Length	Japan	30 Apr 09	The length data from the real time monitoring
Raw Size DataKorea30 Apr 09Raw length/weight measurement data should be provided by Korea instead of raised length data because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future.Indonesian LLAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for the 2006/07-season and Taiwan will provide data for the 2006/07-season and Taiwan will provide data for 2006/07-season and Taiwan will provide data for the 2008 is a for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary da	data	1	1	
Indonesian LL BSBT age and size compositionAustralia30 Apr 09Estimates of both the age and size or produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future.Indonesian LL BSBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otolith s) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for 2006-The format for each otolith D, Age estimates, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provide by each member for their longline fisheries. The Secretariat morius is uses for the CPUE input data and the catch at age for the CPUE input data and the catch at age for the MP.Trolling survey indexJapan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch				the standard length data is provided.
because Korea does not yet have a suitable sample size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future.Indonesian LL SBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (se paragraph 95 of the 2003 ESC report). Members will provide data for the 2006. The format for each otolith is: Flag. Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Oolith ID, Age estimate, Re Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of ucertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data a Mustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat Indonesian LLThe Secretariat is to liaise with the IOTC to obtain the required data for each port and month. Also the 2008 t	Raw Size Data	Korea	30 Apr 09	
size to produce raised length data. However, Korea is encouraged to improve its sample sizes of length frequency data in the future.Indonesian LL SBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for the 2006. The format for each otolith lis. Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month and season.Catch at age data and % of Indonesian LLHM wg 09Catch at age for the CPU.The Secretariat tis to liaise with the IOTC to obtain the required data for each port and momth. Also the 2008 (oal catch by weight of each species.				
is encouraged to improve its sample sizes of length frequency data in the future.Indonesian LL SBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year and age frequency for the 2007 calendar year and age trequency for the 2007 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/ season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data ad ada adataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age				
Indonesian LL SBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for the 2006/07 season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ . Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Catch at age for member tagged and recaptured per month and season.Catch at age data ad Mos of Indonesian LLIOTC/ Secretariat14 May 09Catch at age for the CPUE input data and the catch at age for the CPUE input data and the catch at age for the CPUE input data and the catch at age for the CPUE input data and the catch at age for the CPUE input data and the catch at age for the MP.				
Indonesian LL SBT age and size compositionAustralia30 Apr 09Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for 42006/07 season and Taiwan will provide data for 2006/07 season and Taiwan will provide data for 2007. The format for each otolith is: Flag, Year, Month, Gear Code, Length, Otolith ID, Age estimates, Age Readability Code ¹⁰ . Sex Code, Comments.Trolling survey indexJapan30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data summary dataAustralia, I 4 May 09Catch at age for New Zealand using the same routines it				
SBT age and size compositionPercent) is to be generated for the spawning season July 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for the 2006/07 season and Taiwan will provide data for the 2008/08 season (ending Jan 2009), including any estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data A australia, Japan, Secretariat14 May 09Catch at age for the MP.Total Indonesian catch by month and % of Indonesian LL15 May 09The Secretariat is to laine with the IOTC to obtain the required data for 200	Indonesian I I	Australia	30 Apr 09	
compositionJuly 2007 to June 2008. Length frequency for the 2008 calendar year and age frequency for the 2007 calendar year and age for an least the 2006. The format for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/-Secretariat Indonesian LL15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2006, The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.		Australia	50 Api 07	
2008 calendar year and age frequency for the 2007 calendar year is also to be provided.Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for the 2006/07. Season and Taiwan will provide data for the 2006/07. Season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data catch at age dataAustralia, Japan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat IndonesiaThe Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Direct ageing dataAll Members30 Apr 09Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide data for the 2006.07 season and Taiwan will provide data for 2006.7 season and Taiwan will provide data for 2009. The format for each totolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code 9, Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data Australia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LL<	····· F ······			
datarevised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for 2006.07 season and Taiwan y Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data secretariatAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LL15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007.The 2008 catch of SBT				
otoliths) from otolith collections. Data must be provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for ±006/07 season and Taiwan will provide data for ±006/07 season season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data adat age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LL15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species. <td>Direct ageing</td> <td>All Members</td> <td>30 Apr 09</td> <td></td>	Direct ageing	All Members	30 Apr 09	
provided for at least the 2006 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for the 2006/07 season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	data			
paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. Australia will provide data for the 2006/07 season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIoTC/-Secretariat IndonesianThe Secretariat is to flaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
will provide more recent data if these are available. Australia will provide data for the 2006/07 season and Taiwan will provide data for the 2006/07 season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data Lat, Lapan, SecretariatAustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLI5 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Australia will provide data for the 2006/07 season and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data Lat age dataAustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
and Taiwan will provide data for 2006. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age data Japan, SecretariatAustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat IS May 09The Secretariat is to liaise with the IOTC to obtain numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat IS May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Lat, Long, Location Resolution Code ⁹ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code ¹⁰ , Sex Code, Comments.Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat Indonesian LL15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesian15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				Lat, Long, Location Resolution Code ⁹ , Stat Area,
Trolling survey indexJapan30 Apr 09Estimates of the different trolling indices for the 2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian and % of Indonesian LLIOTC/ Secretariat Indonesian15 May 09The Secretariat is to liaise with the IOTC to obtain numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
index2008/09 season (ending Jan 2009), including any estimates of uncertainty (e.g. CV).Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesia15 May 09The Secretariat is to liaise with the IOTC to obtain numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat I Source and the catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	• •	Japan	30 Apr 09	
Tag return summary dataSecretariat30 Apr 09Updated summary of the number tagged and recaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesian15 May 09The Secretariat is to liaise with the IOTC to obtain numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	index			
summary datarecaptured per month and season.Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesian15 May 09Total Indonesian catch by month and % of Indonesian LL15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007.The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	Tag return	Secretariat	30 Apr 09	
Catch at age dataAustralia, Taiwan, Japan, Secretariat14 May 09Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesia15 May 09The Secretariat is to liaise with the IOTC to obtain numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	•	Scretariat	50 Apr 03	
Taiwan, Japan, Secretariatdegree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat IndonesiaThe Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.		Australia.	14 May 09	
Japan, Secretariatfor their longline fisheries. The Secretariat will produce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat Indonesia15 May 09The Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Secretariatproduce the catch at age for New Zealand using the same routines it uses for the CPUE input data and the catch at age for the MP.Total IndonesianIOTC/ Secretariat IndonesiaThe Secretariat is to liaise with the IOTC to obtain the required data for 2007:The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				
Indonesian catch by month and % of Indonesian LLIOTC/ Secretariat IndonesiaThe Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.		Secretariat		produce the catch at age for New Zealand using the
Total Indonesian catch by month and % ofIOTC/ Secretariat IndonesiaThe Secretariat is to liaise with the IOTC to obtain the required data for 2007. The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.				±
Later by month and % ofIndonesia15 May 09the required data for 2007: The 2008 catch of SBT in numbers and weight for each port and month. Also the 2008 total catch by weight of each species.	T () T ()			the catch at age for the MP.
and % ofnumbers and weight for each port and month. AlsoIndonesian LLthe 2008 total catch by weight of each species.			15 May 00	
Indonesian LL the 2008 total catch by weight of each species.		muonesia	15 Way 09	
	catch that is SBT			are 2000 total cateriory weight of cateri species.

 ⁷ The additional week provided for New Zealand is because New Zealand requires the raised catch data that the Secretariat is scheduled to provide on 30 April.
 ⁸ The data should be prepared using the agreed CCSBT substitution principles where practicable. It is important that the complete method used for preparing the raised length data be fully documented.
 ⁹ M1=1 minute, D1=1 degree, D5=5 degree.
 ¹⁰ Scales (0-5) of readability and confidence for otolith sections as defined in the CCSBT age determination menual

manual.

Type of Data	Data	Due	
to provide ¹	Provider (s)	Date	Description of data to provide
Global SBT catch by flag and by gear	Secretariat	22 May 09	Global SBT catch by flag and gear as provided in recent reports of the Scientific Committee.
Raised catch-at- age for the Australia surface fishery For OM	Australia	24 May 09. ¹¹	These data will be provided for July 2007 to June 2008 in the same format as previously provided.
Raised catch-at- age for Indonesia spawning ground fisheries. For OM	Secretariat	24 May 09	These data will be provided for July 2007 to June 2008 in the same format as on the CCSBT Data CD. In the past, Australia provided these data. However, since the Secretariat is maintaining the Indonesian catch estimates, it seemed sensible for the Secretariat to provide the raised catch at age based on the Indonesian age composition percentages provided by Australia.
Total catch per fishery each year from 1952 to 2008. For MP/OM	Secretariat	31 May 09	The Secretariat will use the various data sets provided above together with previously agreed calculation methods to produce the necessary total catch by fishery data required by both the Management Procedure and the Operating Model.
Catch-at-length (2 cm bins) and catch-at-age proportions <u>for</u> <u>OM</u>	Secretariat	31 May 09	The Secretariat will use the various catch at length and catch at age data sets provided above to produce the necessary length and age proportion data required by the operating model (for LL1, LL2, LL3, LL4 – separated by Japan and Indonesia, and the surface fishery). The Secretariat will also provide these catch at length data subdivided by sub fishery (e.g. the fisheries within LL1).
Catch at Age <u>for</u> <u>MP</u>	Secretariat	31 May 09	Cohort slicing by month of the 5*5 raised length data provided by members. The data used is the data for LL1 fisheries only. For LL1 fisheries where raised length data are not available (i.e. Korea, Philippines, Miscellaneous), the Secretariat will use Japanese length frequency data as a substitute in the same manner as conducted when producing the length frequency inputs for the operating model. <i>These data are unlikely to be required in 2008.</i> <i>However, in accordance with past practises, these</i> <i>data should be produced to ensure that they are</i> <i>readily available in case they are required in the</i> <i>future.</i>
Global catch at age	Secretariat	31 May 09	Calculate the total catch-at-age in 2008 according to Attachment 7 of the MPWS4 report except that catch-at-age for Japan in areas 1 & 2 (LL4 and LL3) is to be prepared by fishing season instead of calendar year to better match the inputs to the operating model.
CPUE input data	Secretariat	31 May 09	Catch (number of SBT and number of SBT in each age class from 0-20+ using proportional aging) and effort (sets and hooks) data ¹² by year, month, and 5*5 lat/long for use in CPUE analysis.

¹¹ The date is set 1 week before 31 May to provide sufficient time for the Secretariat to incorporate these data in the data set it provides for the OM on 31 May. ¹² Data restricted to months April to September, SBT statistical areas 4-9, and the Japanese, Australian joint venture and New Zealand joint venture fleets.

Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide
Tag releases / recoveries and reporting rates. For OM	Australia	31 May 09	The RMP tag/recapture data for the period 1991- 1997 will be updated for any changed/new data in the database.
CPUE series. For OM	Australia / Japan	15 Jun 09 (earlier if possible) ¹³	 5 CPUE series are to be provided for ages 4+, as specified below: Nominal (Australia) Laslett Core Area (Australia) B-Ratio proxy (W0.5) (Japan) Geostat proxy (W0.8) (Japan) ST Windows (Japan) The number of 1*1 degree fished squares in each 5*5 degree square. These data will be accessed only by the Secretariat ¹⁴. (Japan) The operating model uses the median of these series. Secretariat Comment: It has yet to be determined if these CPUE indices will be required in 2009. Therefore, this requirement may change and a new CPUE index may be specified.
Aerial survey index	Australia	31 Jul 09	Estimate of the aerial survey index from the 2008/09 fishing season, including any estimates of uncertainty (e.g. CV).
Commercial spotting index	Australia	31 Jul 09	Estimate of the commercial spotting index from the 2008/09 season, including any estimates of uncertainty (e.g. CV).

¹³ When there are no complications, it is possible to calculate the CPUE series less than two weeks after the CPUE input data is provided. Therefore, if there are no complications, Members should attempt to provide the CPUE series earlier than 15 June.¹⁴ These data will be temporarily accessed, under Japan's supervision, by the Secretariat to allow the Secretariat

to verify calculation of the ST Windows CPUE series.