



CCSBT-ESC/2208/08 Rev1

Data Exchange (ESC agenda item 16)

Notes from the 2022 Data Exchange

Here is a brief summary of issues with the 2022 Data Exchange:

- South Africa did not submit any data, nor provide any indication of when it might submit them. It also did not provide any data to the 2021 Data Exchange.
- Korea did not provide Raised Length Data but submitted raw size data. It has not provided Raised Length Data since the requirement was introduced in 2015.
- Problems with the shipment of SBT otoliths from Indonesia to CSIRO meant that Indonesian Direct Ageing, Age and Size Composition, and Raised Catch at Age data were unable to be provided.
- Several datasets provided by the Secretariat and Australia were delayed due to database system issues encountered by Australia.
- The most recent Direct Age data Japan submitted was for 2018, which means that Japan has not met the reporting requirements for these data that require data to have been submitted for at least the 2019 calendar year.

2023 Data Exchange Requirements

Draft data exchange requirements for 2023 are provided in **Attachment A**. The attachment shows the proposed data that are to be provided during 2023 and the dates and responsibilities for the data provision.

These requirements are based on the 2022 data exchange requirements with all items rolled over and the dates incremented. There were no additional changes requested by ESC participants. Some changes have been made to the requirements for CPUE series data in line with the changes to the CPUE data used by the Operating Model and Management Procedure.

Catch effort and size data should be provided in the identical format as were provided in 2022. If the format of the data provided by a Member is changed, then the new format and some test data in that format should be provided to the Secretariat by 31 January 2023 to allow development of the necessary data loading routines.

Data listed in Attachment A should be provided for the complete 2022 calendar year plus any other year for which the data have changed. If changes to historic data are more than a routine update of the 2021 data or very minor corrections to older data, then the changed data will not be used until discussed at the next ESC meeting (unless there was specific agreement to the contrary). Changes to past data (apart from a routine update of 2021 data) must be accompanied by a detailed description of the changes.

Prepared by the Secretariat

Type of Data	Data	Due	
to provide ¹	Provider(s)	Date	Description of data to provide
CCSBT Data CD	Secretariat	31 Jan 23	An update of the data (catch effort, catch at size, raised catch and tag-recapture) on the data CD to incorporate data provided in the 2022 data exchange and any additional data received since that time, including: • Tag/recapture data (<i>The Secretariat will provide additional updates of the tagrecapture data during 2023 on request from individual members</i>); • Update the unreported catch estimates using the revised scenario (S1L1) produced at SAG9,
Total catch by Fleet	all Members and Cooperating Non- Members	30 Apr 23	Raised total catch (weight and number) and number of boats fishing by fleet and gear. These data need to be provided for both the calendar year and the quota year.
Recreational catch	all Members and Cooperating Non- Members that have recreational catches	30 Apr 23	Raised total catch (weight and number) of any recreationally caught SBT if data are available. A complete historical time series of recreation catch estimates should be provided (unless this has previously been provided). Where there is uncertainty in the recreational catch estimates, a description or estimate of the uncertainty should be provided.
SBT import statistics	Japan	30 Apr 23	Weight of SBT imported into Japan by country, fresh/frozen and month. These import statistics are used in estimating the catches of nonmember countries.
Mortality allowance (RMA and SRP) usage	all Members (& Secretariat)	30 Apr 23	The mortality allowance (kilograms) that was used in the 2022 calendar year. Data is to be separated by RMA and SRP mortality allowance. If possible, data should also be separated by month and location.
Catch and Effort	all Members (& Secretariat)	23 Apr 23 (New Zealand). ² 30 Apr 23 (other members & Secretariat) 31 Jul 23 (Indonesia)	Catch (in numbers and weight) and effort data is to be provided as either shot by shot or as aggregated data (New Zealand provides fine scale shot by shot data which is aggregated and distributed by the Secretariat). The maximum level of aggregation is by year, month, fleet, gear, and 5x5 degree (longline fishery) or 1x1 degree for surface fishery. Indonesia will provide estimates based on either shot by shot or as aggregated data from the trial Scientific Observer Program.

¹ The text "For MP/OM" means that this data is used for both the Management Procedure and the Operating Model. If only one of these items appears (e.g. <u>For OM</u>), then the data is only required for the specified item.

² The earlier date specified for New Zealand is so that the Secretariat will be able to process the fine scale New

Zealand data in time to provide aggregated and raised data to members by 30 April.

Type of Data to provide ¹	Data Provider(s)	Due Date	Description of data to provide	
Non-retained catches	All Members	30 Apr 23 (all Members except Indonesia) 31 Jul 23 (Indonesia)	 Description of data to provide The following data concerning non retained catches will be provided by year, month, and 5*5 degree for each fishery: Number of SBT reported (or observed) as being non-retained; Raised number of non-retained SBT taking into consideration vessels and periods in which there was no reporting of non-retained SBT; Estimated size frequency of non-retaine SBT after raising; Details of the fate and/or life status of non-retained fish. Indonesia will provide estimates based on eithe shot by shot or as aggregated data from the trial Scientific Observer Program. 	
RTMP catch and effort data	Japan	30 Apr 23	The catch and effort data from the real time monitoring program should be provided in the same format as the standard logbook data is provided.	
Raised catch data for AU, NZ catches	Australia, Secretariat	30 Apr 23	Aggregated raised catch data should be provided at a similar resolution as the catch and effort data. Japan, Korea and Taiwan do not need to provide anything here because they provide raised catch and effort data. New Zealand does not need to provide anything here because the Secretariat produces New Zealand's raised catch data from the fine scale data provided by New Zealand.	
Raised number of hooks data for NZ catches	Secretariat	30 Apr 23	Raised New Zealand number of hooks data, to be provided to NZ only, generated from NZ fine scale data by the Secretariat.	
Observer length frequency data	New Zealand	30 Apr 23	Raw observer length frequency data as provided in previous years.	

Type of Data	Data	Due	
to provide.1	Provider(s)	Date	Description of data to provide
Raised Length Data	Australia, Taiwan, Japan,	30 Apr 23 (Australia, Taiwan,	Raised length composition data should be provided ⁴ at an aggregation of year, month, fleet, gear, and 5x5 degree for longline and 1x1
	New Zealand, Korea	Japan, Korea) 7 May 23	degree for other fisheries. Data should be provided in the finest possible size classes (1 cm). A template showing the required information is provided in Attachment C of
		(New Zealand). ³	CCSBT-ESC/0609/08.
Raw Length Frequencies	South Africa	30 Apr 23	Raw Length Frequency data from the South African Observer Program.
RTMP Length data	Japan	30 Apr 23	The length data from the real time monitoring program should be provided in the same format as the standard length data.
Indonesian LL SBT age and size composition	Australia Indonesia	30 Apr 23	Estimates of both the age and size composition (in percent) is to be generated for the spawning season July 2021 to June 2022. Length frequency for the 2021 calendar year and age frequency for the 2021 calendar year is also to be provided. Indonesia will provide size composition in length and weight based on the Port-based Tuna Monitoring Program. Australia will provide age composition data according to current data exchange protocols.
Direct ageing data	All Members except the EU	30 Apr 23	Updated direct age estimates (and in some cases revised series due to a need to re-interpret the otoliths) from otolith collections. Data must be provided for at least the 2020 calendar year (see paragraph 95 of the 2003 ESC report). Members will provide more recent data if these are available. The format for each otolith is: Flag, Year, Month, Gear Code, Lat, Long, Location Resolution Code. ⁵ , Stat Area, Length, Otolith ID, Age estimate, Age Readability Code. ⁶ , Sex Code, Comments. It is planned that the Secretariat will provide the direct age estimates for Indonesia through a contract with CSIRO.
Trolling survey index	Japan	30 Apr 23	Estimates of the different trolling indices (piston-line index (TRP) and grid-type trolling index (GTITRG)) for the 2022/23 season (ending 2023), including any estimates of uncertainty (e.g. CV).

³ The additional week provided for New Zealand is because New Zealand requires the raised catch data that the

Secretariat is scheduled to provide on 30 April.

The data should be prepared using the agreed CCSBT substitution principles where practicable. It is important that the complete method used for preparing the raised length data be fully documented.

M1=1 minute, D1=1 degree, D5=5 degree.

Scales (0-5) of readability and confidence for otolith sections as defined in the CCSBT age determination

manual.

Type of Data	Data	Due		
to provide ¹	Provider(s)	Date	Description of data to provide	
Tag return summary data	Secretariat	30 Apr 23	Updated summary of the number tagged and recaptured per month and season.	
Gene tagging data For OM and MP	Secretariat	30 Apr 23	An estimate of juvenile abundance, number of releases and harvest samples, number of matches and CV of the estimate and mark-recapture data from the pilot-gene-tagging study through a contract with CSIRO. The mark-recapture data will-which includes the tagging release data (e.g. date of tagging, length of fish), tag recapture data (e.g. recapture sample date, length) and whether or not a genetic match with a release tissue was found.	
Close Kin Data For OM and MP	Secretariat	30 Apr 23	Updated dataset of identified SBT parent- offspring pairs and half-sibling using SNPs. This is a deliverable of the SBT annual close-kin tissue sampling, processing, kin identification and Indonesian ageing project conducted by CSIRO under contract to the CCSBT.	
Catch at age data	Australia, Taiwan, Japan, Secretariat	14 May 23	Catch at age (from catch at size) data by fleet, 5*5 degree, and month to be provided by each member for their longline fisheries. The Secretariat will produce the catch at age for New Zealand and Korea using the same routines it uses for the CPUE input data and the catch at age for the MP.	
Global SBT catch by flag and by gear	Secretariat	22 May 23	Global SBT catch by flag and gear as provided in recent reports of the Scientific Committee.	
Raised catchat-age for the Australia surface fishery. For OM	Australia	24 May 23. ⁷	These data will be provided for July 2021 to June 2022 in the same format as previously provided.	
Raised catchat-age for Indonesia spawning ground fisheries. For OM	Secretariat	24 May 23	These data will be provided for July 2021 to June 2022 in the same format as on the CCSBT Data CD.	
Total catch per fishery and subfishery each year from 1952 to 2022.	Secretariat	31 May 23	The Secretariat will use the various data sets provided above together with previously agreed calculation methods to produce the necessary total catch by fishery and total catch by subfishery data required by the Operating Model.	

 7 The date is set 1 week before 1 June to provide sufficient time for the Secretariat to incorporate these data in the data set it provides for the OM on 1 June.

Type of Data	Data	Due			
to provide.1	Provider(s)	Date	Description of data to provide		
Catch-at-	Secretariat	31 May 23	The Secretariat will use the various catch at		
length (2 cm	20010001100		length and catch at age data sets provided above		
bins) and			to produce the necessary length and age		
catch-at-age			proportion data required by the operating model		
proportions.			(for LL1, LL2, LL3, LL4 – separated by Japan		
For OM			and Indonesia, and the surface fishery). The		
			Secretariat will also provide these catch at		
			length data subdivided by sub fishery (e.g. the		
			fisheries within LL1).		
Global catch	Secretariat	31 May 23	Calculate the total catch-at-age in 2022		
at age		-	according to Attachment 7 of the MPWS4 report		
			except that catch-at-age for Japan in areas 1 & 2		
			(LL4 and LL3) is to be prepared by fishing		
			season instead of calendar year to better match		
			the inputs to the operating model.		
CPUE input	Secretariat	31 May 23	Catch (number of SBT and number of SBT in		
data			each age class from 0-20+ using proportional		
			aging) and effort (sets and hooks) data ⁸ by year,		
			month, and 5*5 lat/long for use in CPUE		
			analysis.		
<u>CPUE series</u>	<u>Japan</u>	<u>15 Jun 23</u>	<u>CPUE series based on the standardisation</u>		
for OM and		(earlier if	method developed in 2022 using generalised		
MP		possible) ⁹	additive model (GAM).		
CPUE	Australia, Japan,	15 Jun 23	<u>8-5</u> CPUE series are to be provided for ages 4+,		
monitoring	Taiwan, Korea	(earlier if	as specified below:		
and quality		possible).9	Nominal (Australia)		
assurance			B-Ratio proxy (W0.5). ¹⁰ (Japan)		
series.			• Geostat proxy (W0.8) ¹⁰ (Japan)		
			• GAM (Australia) (may be deleted - to be		
			discussed by CPUE WG)		
			• Shot x shot Base Model (Japan)		
			• Reduced Base Model (Japan)		
			Taiwan Standardised CPUE (Taiwan)		
			Korean Standardised CPUE (Korea)		
Core vessel	Japan	15 Jun 23	Provide both the w0.5 and w0.8 Core Vessel		
CPUE series		(earlier if	CPUE Series, which are calculated from the		
for MP		possible)	GLM Base model		
Core vessel	Japan	15 Jun 23	Provide CS, VS w0.6 and w0.9 of Core Vessel		
CPUE series		(earlier if	CPUE Series, which are calculated from GAM.		
for OM		possible)			

_

⁸ Data restricted to months April to September, SBT statistical areas 4-9, and the Japanese, Australian joint venture and New Zealand joint venture fleets.

⁹ When there are no complications, it is possible to calculate the CPUE series less than two weeks after the CPUE input data is provided. Therefore, if there are no complications, Members should attempt to provide the CPUE series earlier than 15 June.

¹⁰ This series is based on the standardisation model by Nishida and Tsuji (1998) using all vessel data. Due to loss of data from Japanese-flagged charter vessels in the New Zealand fishery from 2016 onward, these indices are calculated combining areas 4 and 5, areas 6 and 7, respectively.