

## **Review of Taiwan SBT Fishery of 2020/2021**

---

### **1. Introduction**

In the 1970s, the main target species of the Taiwanese conventional tuna longline fishery was albacore. Since 1980s, some operators began to build new vessels equipped with super freezer for fishing tropical tuna and started fishing SBT seasonally in early 1990s. Generally, the authorized SBT fishing fleet comes from tropical tuna fishing vessels, which shift southward and mainly operate in the central south Indian Ocean (Area 2 and 14) for SBT from March to September with some operating in the high seas area off South Africa (Area 14 and 9) for SBT from October to February of following year.

The annual catches of SBT were less than 250 tons in early 1980s, and the catches of SBT increased to a range of about 900 tons to 1,600 tons from 1990 to 2002 with the increase of fleet size and the expansion of fishing grounds. Since 2002, Taiwan has become a member of the Extend Commission of CCSBT, and its national allocation has been set at 1,140 tons. The annual catches of SBT fluctuated between 500 tons and 1,300 tons from 2002 to 2020. In 2021, 58 fishing vessels were authorized to fish for SBT and the SBT catch was 1,274 tons for calendar year and quota year both.

### **2. Catch and Effort**

Taiwanese SBT longline fishery mainly operates in Area 2, Area 14, Area 8 and Area 9 (here after: major Areas) seasonally. The catch and efforts by calendar year are provided in Table 1 and Figure 1.

The annual catches of SBT ranged from 494 to 1,298 tons between 2002 and 2021 (Table 1) with the highest catch in number and weight in 2004. The catch declined significantly to 533 tons in 2011 for the shared quota of 2010 and 2011, which had been mostly used in 2010 and less fishing vessels engaged in SBT in 2011. The low catch in 2012 was due to better catch rate in tropical area, so most of fishing vessels remained in tropical areas to target bigeye tuna instead of fishing for SBT. The annual catches of SBT resumed in 2013 for returning of fishing vessels for SBT out of poor revenue of

harvesting tropical tuna.

Figure 1 shows the variation of annual catches in number between 2002 and 2021. Most of the catches were made in Area 2 and 14. The aggregated number of SBT, which were caught in major Areas fluctuated between 28,000 and 41,000 during 2002-2010. After that, the total number declined rapidly in the following two years (2011-2012) and resumed to the level of 26,000-37,000 from 2013 to 2021.

The fishing efforts of 2002 and 2003 shown in Table 1 were aggregated all fishing efforts made by SBT fishing vessels, including the fishing efforts deployed in the tropical areas for bigeye tuna. Since 2004, only the fishing efforts of SBT vessels operated in the area south 20°S were included as fishing efforts for SBT.

The area-specific and monthly catches and fishing efforts of Taiwanese SBT longline fishing vessels in recent 5 years (2017-2021) are provided in Tables 2 and 3. It is observed that most of fishing efforts and catch were made in major Areas, and it should be noted that the fishing efforts made in Area 9 were mainly from the fishing vessels targeting oilfish or escolar in the Indian Ocean, and the fishing efforts made in Area 15 were mainly from fishing vessels targeting albacore with by-catch of SBT.

### **3. Nominal CPUE**

The annual nominal CPUE of calendar years is shown in Table 1 and Figure 1. The nominal CPUE aggregated by the data from all areas reached the highest level in 2005, while the nominal CPUE aggregated by the data from major Areas reached the highest level in 2012.

It was noted that catches were mainly made in Areas 2 and 14 (Table 2), but it was noted there were significant fishing efforts deployed in Area 9 for oilfish or escolar (Table 3). The area-specific and monthly nominal CPUE in recent 5 years are provided in Table 4 and Figure 2. It was observed that the nominal CPUEs in Area 2 were generally higher than those in other areas.

### **4. Size composition**

Before 2002, SBT fishing vessels were required to report their operation position, weights of SBT catches on weekly basis, afterwards they were requested to report the length of individual SBT catch between 2002 to 2009. With the implementation of catch

documentation scheme (CDS) in 2010, the length and weight of all individual STB catch are collected through CDS scheme.

The annual area-specific size compositions are shown in Figure 3 and Figure 4. It was observed that the size composition mainly concentrated at the range of 110 cm to 125 cm among all areas of 2010s. However, the mode at 150 cm was observed in other areas with less number of catches comparing with that of the major Areas (Figure 3).

In recent 5 years (2017-2021), the size composition generally concentrated at the range of 116 cm to 126 cm among all areas (Figure 4) with modes at 116 cm in 2021.

## **5. Fleet size and fishing efforts distributions**

According to the weekly reports and trading documents, there were more than 100 fishing vessels engaging in STB fishery during 1998 to 2001. Since Taiwan became a member of the Extend Commission of CCSBT in 2002, all STB fishing vessels have to be authorized to access this fishery, and the authorizations are reviewed and renewed by Fishery Agency (FA) of Taiwan annually.

The numbers of fishing vessels engaging in STB fishery ranged from 30 to 100 from 2002 to 2021 (Table 5). From 2005 to 2008, the number of fishing vessels decreased significantly for some fishing vessels shifted to the waters off South Africa to target oilfish or escolar. In 2009 and 2010, the number of fishing vessels increased for some tropical tuna fishing vessels shifted operations southward due to piracy. The number of fishing vessels decreased to 56 in 2011 as national STB allocation was set at 578 tons and decreased further to 36 in 2012 for most fishing vessels remained in tropical area fishing for bigeye tuna. Owing to poor catch of tropical tuna in 2013, the fishing vessels returned to STB fishing ground and the number of STB longline fishing vessels increased substantially to 76 with a slight decrease to 71 and 72 in 2014 and 2015. In 2016, some fishing vessels remained in tropical area for targeting yellowfin tuna, so the number of STB fishing vessels decreased to 60. On the contrary, the number of fishing vessel increased to 75 and 77 respectively in 2017 and 2018, due to the poor catch of tropical tuna. The number of STB fishing vessel of 2019 and 2020 were 72 and 70 respectively. The number of STB fishing vessels decreased to 58 in 2021 mainly because there were fewer by-catch fishing vessels in 2021 than in 2020 by 11 vessels.

Taiwanese STB fishing vessels seasonally targeting STB mainly operate in the

waters of 20°S - 40°S in the Indian Ocean and the areas adjacent to the Atlantic Ocean. The distributions of fishing efforts and SBT catch in number are shown in Figure 5 to Figure 8. There are two major fishing grounds in general with one in the southern central Indian Ocean around 50°E-105°E, 20°S-40°S, and the other one in the high seas area off South Africa around 20°E-50°E, 25°S-45°S. The fishing season for Taiwanese SBT fishery in the southern central Indian Ocean is from March to September, and the fishing season in the southwest Indian Ocean is from October to February of following year. It was observed that the fishing efforts and SBT catches were mainly made in Areas 2, 14 and 9 in the second and the third quarters. The fishing efforts deployed in Area 9 are mainly from the fishing vessels targeting oilfish or escolar with SBT bycatch in the fourth quarter and the first quarter of the following year.

## **6. Research and monitoring to improve estimates of attributable catch**

The number of SBT discarded by fishing vessels were 434 and 387 in 2020 and 2021 respectively, and these figures had been provided to the Commission as non-retained catches of Taiwanese SBT fishery.

Based on the discard information recorded by Taiwanese scientific observer program and e-logbook collected from Taiwanese longline vessels, we processed a procedure similar to the bootstrap approach to estimate total amount of estimated discards of Taiwanese fleet were less than 10 tons (per year). The details of the methodology please refer to CCSBT-ESC/2008/31.

## **7. Development and implementation of scientific observer programs**

Appendix 1 provides the summary report on the implementation of scientific observer program.

## **8. Other relevant information**

The collaboration between Taiwan and Australia on SBT archival tagging program had been conducted during 2004 to 2007. The observers dispatched to Taiwanese SBT fishing vessels carried out the SBT tagging program. There were 37, 48, 25 and 50 archival tags successfully settled during 2004 to 2007. The results were incorporated into the documents of CCSBT-ESC/0709/20 and CCSBT-ESC/0809/23.

Table 1 Annual catches of STB in weight and in number, fishing efforts and nominal CPUE of Taiwanese STB longline fishery

Unit: Hooks\_N: thousand hooks;  
STB\_W: round weight in ton;  
CPUE: STB catch in number / number of hooks;

Calendar year	Hooks_N		STB_N		STB_W		CPUE	
	All Area	Area 2、 14、8、 9	All Area	Area 2、 14、8、9	All Area	Area 2、 14、8、9	All Area	Area 2、 14、8、9
2002*	102,908	39,188	34,841	34,754	1,137	1,132	0.34	0.89
2003*	144,620	44,570	31,606	28,768	1,129	1,045	0.22	0.65
2004	36,055	34,993	42,151	41,733	1,298	1,279	1.17	1.19
2005	20,471	19,375	33,319	33,266	941	937	1.63	1.72
2006	20,444	18,919	30,667	30,660	846	845	1.50	1.62
2007	26,185	25,532	33,776	33,772	841	841	1.29	1.32
2008	28,724	26,656	35,144	35,082	913	911	1.22	1.32
2009	37,236	32,380	31,801	31,639	921	913	0.85	0.98
2010	40,916	33,897	33,407	33,263	1,208	1,201	0.82	0.98
2011	27,062	20,327	15,156	14,884	533	520	0.56	0.73
2012	18,414	9,702	17,578	17,198	494	472	0.95	1.77
2013	34,817	25,188	33,583	33,186	1,004	980	0.96	1.33
2014	30,823	21,067	26,659	26,300	944	922	0.86	1.27
2015	31,753	22,875	33,004	32,663	1,162	1,143	1.04	1.44
2016	32,071	27,865	30,392	30,204	1,023	1,013	0.95	1.09
2017	40,858	38,197	32,864	32,809	1,171	1,168	0.8	0.86
2018	36,206	33,251	35,784	35,671	1,218	1,211	0.99	1.08
2019	37,274	35,212	34,615	34,560	1,229	1,226	0.93	0.98
2020	37,239	33,785	29,514	29,456	1,116	1,113	0.79	0.87
2021	24,857	23,979	37,878	37,837	1,274	1,272	1.52	1.58

\* Including efforts deployed in the tropical areas for tropical tuna.

Table 2 SBT catch in number by area, by month and by year of Taiwanese SBT longline fishery

Year	Month	Area1	Area2	Area3	Area4	Area5	Area6	Area7	Area8	Area9	Area10	Area11	Area12	Area13	Area14	Area15
<b>2017</b>	<b>Total</b>	<b>0</b>	<b>20789</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2025</b>	<b>863</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9132</b>	<b>55</b>
	1	-	-	-	-	-	-	-	-	87	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	0	0	-	-	-	0	-
	3	-	0	-	-	-	-	-	0	0	0	-	-	-	0	0
	4	-	9	-	-	-	-	-	1094	30	-	-	-	-	0	18
	5	-	478	-	-	-	-	-	697	14	-	-	-	-	493	6
	6	-	5375	-	-	-	-	-	234	12	-	-	-	-	2358	1
	7	-	10770	-	-	-	-	-	-	72	-	-	-	-	2934	13
	8	-	4005	-	-	-	-	-	-	151	-	-	-	-	3176	5
	9	-	152	-	-	-	-	-	-	174	-	-	-	-	152	12
	10	-	-	-	-	-	-	-	-	67	-	0	-	-	18	0
	11	-	-	-	-	-	-	-	-	122	-	-	-	-	1	0
	12	-	-	-	-	-	-	-	-	134	-	-	-	-	0	-
<b>2018</b>	<b>Total</b>	<b>0</b>	<b>16781</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2888</b>	<b>521</b>	<b>10</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>15481</b>	<b>91</b>
	1	-	-	-	-	-	-	-	-	188	-	-	-	-	0	0
	2	-	-	-	-	-	-	-	0	1	0	0	-	-	0	0
	3	-	2	-	-	-	-	-	551	2	0	0	-	-	0	0
	4	-	0	-	-	-	-	-	757	3	0	-	-	-	0	5
	5	-	430	-	-	-	-	-	781	65	10	-	-	-	27	4
	6	-	4600	-	-	-	-	-	799	76	0	0	-	-	3612	4
	7	-	7536	-	-	-	-	-	-	88	0	12	-	-	8496	37
	8	-	4013	-	-	-	-	-	-	26	-	0	-	-	2987	31
	9	-	200	-	-	-	-	-	-	72	-	-	-	-	259	10
	10	-	-	-	-	-	-	-	-	0	-	-	-	-	100	0
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	12	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
<b>2019</b>	<b>Total</b>	<b>0</b>	<b>17511</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3717</b>	<b>433</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>12899</b>	<b>55</b>
	1	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	2	-	0	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	0	-	-	-	-	-	1390	5	-	-	-	-	0	0
	4	-	65	-	-	-	-	-	1777	4	-	-	-	-	0	0
	5	-	1219	-	-	-	-	-	486	55	-	-	-	-	61	1
	6	-	4737	-	-	-	-	-	64	57	-	-	-	-	2351	0
	7	-	10323	-	-	-	-	-	-	53	-	-	-	-	6928	13
	8	-	1150	-	-	-	-	-	-	139	-	-	-	-	3418	41
	9	-	17	-	-	-	-	-	-	92	-	-	-	-	139	0
	10	-	-	-	-	-	-	-	-	28	-	-	-	-	2	0
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	0	0
	12	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
<b>2020</b>	<b>Total</b>	<b>0</b>	<b>12107</b>	<b>0</b>	<b>0</b>	<b>13</b>	<b>0</b>	<b>0</b>	<b>4507</b>	<b>841</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>12001</b>	<b>45</b>
	1	-	-	-	-	-	-	-	-	-	-	0	-	-	0	-
	2	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	15	-	-	-	-	-	1357	0	-	-	-	-	0	0
	4	-	42	-	-	0	-	-	2681	11	-	-	-	-	0	1
	5	-	1329	-	-	8	-	-	320	28	-	-	-	-	587	1
	6	-	4424	-	-	5	-	-	149	57	-	-	0	-	2911	11
	7	-	4335	-	-	-	-	-	-	70	-	-	0	-	4282	13
	8	-	1955	-	-	0	-	-	-	143	-	-	0	-	3602	5
	9	-	7	-	-	-	-	-	-	385	-	-	-	-	619	13
	10	-	-	-	-	-	-	-	-	147	-	0	-	-	0	1
	11	-	-	-	-	-	-	-	-	0	-	0	-	-	0	0
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
<b>2021</b>	<b>Total</b>	<b>0</b>	<b>14986</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4115</b>	<b>604</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>18132</b>	<b>41</b>
	1	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	0	-	-	-	-	-	1168	0	-	-	-	-	0	-
	4	-	-	-	-	-	-	-	1136	47	-	-	-	-	0	0
	5	-	1316	-	-	-	-	-	1657	164	-	-	-	-	82	0
	6	-	4538	-	-	-	-	-	154	75	-	-	-	-	2373	8
	7	-	5988	-	-	-	-	-	-	122	-	-	-	-	9064	12
	8	-	2968	-	-	-	-	-	-	9	-	-	-	-	6479	21
	9	-	176	-	-	-	-	-	-	54	-	-	-	-	134	-
	10	-	-	-	-	-	-	-	-	133	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3 Number of hooks (thousand hooks) deployed by area, by month and by year of Taiwanese SBT longline fishery

Year	Month	Area1	Area2	Area3	Area4	Area5	Area6	Area7	Area8	Area9	Area10	Area11	Area12	Area13	Area14	Area15
<b>2017</b>	<b>Total</b>	<b>0</b>	<b>6479</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2877</b>	<b>17980</b>	<b>38</b>	<b>38</b>	<b>0</b>	<b>0</b>	<b>10862</b>	<b>2585</b>
	1	-	-	-	-	-	-	-	-	55	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	313	15	-	-	-	11	-
	3	-	36	-	-	-	-	-	47	1940	23	-	-	-	119	16
	4	-	60	-	-	-	-	-	1496	3195	-	-	-	-	21	172
	5	-	651	-	-	-	-	-	1243	3392	-	-	-	-	722	509
	6	-	1998	-	-	-	-	-	91	1762	-	-	-	-	2537	486
	7	-	2485	-	-	-	-	-	-	1472	-	-	-	-	2907	434
	8	-	1110	-	-	-	-	-	-	1234	-	-	-	-	3342	290
	9	-	139	-	-	-	-	-	-	2041	-	-	-	-	628	381
	10	-	-	-	-	-	-	-	-	1076	-	38	-	-	430	284
	11	-	-	-	-	-	-	-	-	932	-	-	-	-	86	13
	12	-	-	-	-	-	-	-	-	568	-	-	-	-	59	-
<b>2018</b>	<b>Total</b>	<b>0</b>	<b>4593</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3992</b>	<b>11139</b>	<b>750</b>	<b>129</b>	<b>0</b>	<b>0</b>	<b>13527</b>	<b>2075</b>
	1	-	-	-	-	-	-	-	-	181	-	-	-	-	40	8
	2	-	-	-	-	-	-	-	40	197	3	15	-	-	81	49
	3	-	10	-	-	-	-	-	807	1010	207	20	-	-	89	49
	4	-	36	-	-	-	-	-	1506	2361	238	-	-	-	109	146
	5	-	442	-	-	-	-	-	1327	2519	198	-	-	-	766	375
	6	-	1346	-	-	-	-	-	312	1922	93	7	-	-	2254	286
	7	-	1534	-	-	-	-	-	-	1214	11	79	-	-	3852	277
	8	-	985	-	-	-	-	-	-	580	-	8	-	-	3969	521
	9	-	240	-	-	-	-	-	-	567	-	-	-	-	1729	263
	10	-	-	-	-	-	-	-	-	174	-	-	-	-	602	101
	11	-	-	-	-	-	-	-	-	276	-	-	-	-	36	-
	12	-	-	-	-	-	-	-	-	138	-	-	-	-	-	-
<b>2019</b>	<b>Total</b>	<b>0</b>	<b>5987</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5152</b>	<b>12750</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>11321</b>	<b>2062</b>
	1	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-
	2	-	10	-	-	-	-	-	-	19	-	-	-	-	27	-
	3	-	10	-	-	-	-	-	1548	1013	-	-	-	-	39	61
	4	-	394	-	-	-	-	-	2375	1997	-	-	-	-	92	378
	5	-	1378	-	-	-	-	-	1185	2448	-	-	-	-	719	136
	6	-	1600	-	-	-	-	-	44	1258	-	-	-	-	3092	331
	7	-	2214	-	-	-	-	-	-	1005	-	-	-	-	2777	436
	8	-	363	-	-	-	-	-	-	1557	-	-	-	-	2927	353
	9	-	18	-	-	-	-	-	-	1494	-	-	-	-	1107	285
	10	-	-	-	-	-	-	-	-	953	-	-	-	-	324	67
	11	-	-	-	-	-	-	-	-	653	-	-	-	-	126	15
	12	-	-	-	-	-	-	-	-	339	-	-	-	-	91	-
<b>2020</b>	<b>Total</b>	<b>0</b>	<b>3892</b>	<b>0</b>	<b>0</b>	<b>253</b>	<b>0</b>	<b>0</b>	<b>3600</b>	<b>13467</b>	<b>0</b>	<b>23</b>	<b>181</b>	<b>0</b>	<b>12828</b>	<b>2997</b>
	1	-	-	-	-	-	-	-	-	-	-	4	-	-	150	-
	2	-	-	-	-	-	-	-	-	4	-	-	-	-	16	-
	3	-	7	-	-	-	-	-	1303	903	-	-	-	-	14	158
	4	-	169	-	-	42	-	-	1902	2195	-	-	-	-	294	284
	5	-	739	-	-	111	-	-	383	2415	-	-	-	-	1789	469
	6	-	1290	-	-	92	-	-	12	2244	-	-	12	-	1622	573
	7	-	1197	-	-	-	-	-	-	1440	-	-	100	-	3431	473
	8	-	465	-	-	8	-	-	-	1010	-	-	69	-	3374	364
	9	-	25	-	-	-	-	-	-	2001	-	-	-	-	1400	269
	10	-	-	-	-	-	-	-	-	1112	-	4	-	-	717	287
	11	-	-	-	-	-	-	-	-	143	-	15	-	-	21	116
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
<b>2021</b>	<b>Total</b>	<b>0</b>	<b>3723</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2458</b>	<b>8102</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9694</b>	<b>880</b>
	1	-	-	-	-	-	-	-	-	91	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	107	-	-	-	-	4	-
	3	-	18	-	-	-	-	-	460	868	-	-	-	-	15	-
	4	-	-	-	-	-	-	-	1089	2009	-	-	-	-	45	50
	5	-	492	-	-	-	-	-	793	2212	-	-	-	-	697	268
	6	-	1406	-	-	-	-	-	116	1251	-	-	-	-	1963	293
	7	-	1138	-	-	-	-	-	-	885	-	-	-	-	3344	209
	8	-	581	-	-	-	-	-	-	181	-	-	-	-	3433	60
	9	-	88	-	-	-	-	-	-	269	-	-	-	-	193	-
	10	-	-	-	-	-	-	-	-	173	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	56	-	-	-	-	-	-
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4 Nominal CPUE by area, by month and by year of Taiwanese SBT longline fishery

Unit: CPUE=Numbers/Thousand hooks

Year	Month	Area1	Area2	Area3	Area4	Area5	Area6	Area7	Area8	Area9	Area10	Area11	Area12	Area13	Area14	Area15
2017	<b>Total</b>	-	<b>3.21</b>	-	-	-	-	-	<b>0.7</b>	<b>0.05</b>	<b>0</b>	<b>0</b>	-	-	<b>0.84</b>	<b>0.02</b>
	1	-	-	-	-	-	-	-	-	1.58	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	0	0	-	-	-	0	-
	3	-	0	-	-	-	-	-	0	0	0	-	-	-	0	0
	4	-	0.15	-	-	-	-	-	0.73	0.01	-	-	-	-	0	0.1
	5	-	0.73	-	-	-	-	-	0.56	0	-	-	-	-	0.68	0.01
	6	-	2.69	-	-	-	-	-	2.57	0.01	-	-	-	-	0.93	0
	7	-	4.33	-	-	-	-	-	-	0.05	-	-	-	-	1.01	0.03
	8	-	3.61	-	-	-	-	-	-	0.12	-	-	-	-	0.95	0.02
	9	-	1.09	-	-	-	-	-	-	0.09	-	-	-	-	0.24	0.03
	10	-	-	-	-	-	-	-	-	0.06	-	0	-	-	0.04	0
	11	-	-	-	-	-	-	-	-	0.13	-	-	-	-	0.01	0
	12	-	-	-	-	-	-	-	-	0.24	-	-	-	-	0	-
2018	<b>Total</b>	-	<b>3.65</b>	-	-	-	-	-	<b>0.72</b>	<b>0.05</b>	<b>0.01</b>	<b>0.09</b>	-	-	<b>1.14</b>	<b>0.04</b>
	1	-	-	-	-	-	-	-	-	1.04	-	-	-	-	0	0
	2	-	-	-	-	-	-	-	0	0.01	0	0	-	-	0	0
	3	-	0.2	-	-	-	-	-	0.68	0	0	0	-	-	0	0
	4	-	0	-	-	-	-	-	0.5	0	0	-	-	-	0	0.03
	5	-	0.97	-	-	-	-	-	0.59	0.03	0.05	-	-	-	0.04	0.01
	6	-	3.42	-	-	-	-	-	2.56	0.04	0	0	-	-	1.6	0.01
	7	-	4.91	-	-	-	-	-	-	0.07	0	0.15	-	-	2.21	0.13
	8	-	4.07	-	-	-	-	-	-	0.04	-	0	-	-	0.75	0.06
	9	-	0.83	-	-	-	-	-	-	0.13	-	-	-	-	0.15	0.04
	10	-	-	-	-	-	-	-	-	0	-	-	-	-	0.17	0
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	12	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
2019	<b>Total</b>	-	<b>2.92</b>	-	-	-	-	-	<b>0.72</b>	<b>0.03</b>	-	-	-	-	<b>1.14</b>	<b>0.03</b>
	1	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	2	-	0	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	0	-	-	-	-	-	0.9	0	-	-	-	-	0	0
	4	-	0.16	-	-	-	-	-	0.75	0	-	-	-	-	0	0
	5	-	0.88	-	-	-	-	-	0.41	0.02	-	-	-	-	0.08	0.01
	6	-	2.96	-	-	-	-	-	1.45	0.05	-	-	-	-	0.76	0
	7	-	4.66	-	-	-	-	-	-	0.05	-	-	-	-	2.49	0.03
	8	-	3.17	-	-	-	-	-	-	0.09	-	-	-	-	1.17	0.12
	9	-	0.94	-	-	-	-	-	-	0.06	-	-	-	-	0.13	0
	10	-	-	-	-	-	-	-	-	0.03	-	-	-	-	0.01	0
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	0	0
	12	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
2020	<b>Total</b>	-	<b>3.11</b>	-	-	<b>0.05</b>	-	-	<b>1.25</b>	<b>0.06</b>	-	<b>0</b>	<b>0</b>	-	<b>0.94</b>	<b>0.02</b>
	1	-	-	-	-	-	-	-	-	-	-	0	-	-	0	-
	2	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	2.14	-	-	-	-	-	1.04	0	-	-	-	-	0	0
	4	-	0.25	-	-	0	-	-	1.41	0.01	-	-	-	-	0	0
	5	-	1.8	-	-	0.07	-	-	0.84	0.01	-	-	-	-	0.33	0
	6	-	3.43	-	-	0.05	-	-	12.42	0.03	-	-	0	-	1.79	0.02
	7	-	3.62	-	-	-	-	-	-	0.05	-	-	0	-	1.25	0.03
	8	-	4.2	-	-	0	-	-	-	0.14	-	-	0	-	1.07	0.01
	9	-	0.28	-	-	-	-	-	-	0.19	-	-	-	-	0.44	0.05
	10	-	-	-	-	-	-	-	-	0.13	-	0	-	-	0	0
	11	-	-	-	-	-	-	-	-	0	-	0	-	-	0	0
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
2021	<b>Total</b>	-	<b>4.03</b>	-	-	-	-	-	<b>1.67</b>	<b>0.07</b>	-	-	-	-	<b>1.87</b>	<b>0.05</b>
	1	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	0	-	-	-	-	0	-
	3	-	0	-	-	-	-	-	2.54	0	-	-	-	-	0	-
	4	-	-	-	-	-	-	-	1.04	0.02	-	-	-	-	0	0
	5	-	2.67	-	-	-	-	-	2.09	0.07	-	-	-	-	0.12	0
	6	-	3.23	-	-	-	-	-	1.33	0.06	-	-	-	-	1.21	0.03
	7	-	5.26	-	-	-	-	-	-	0.14	-	-	-	-	2.71	0.06
	8	-	5.11	-	-	-	-	-	-	0.05	-	-	-	-	1.89	0.35
	9	-	2	-	-	-	-	-	-	0.2	-	-	-	-	0.69	-
	10	-	-	-	-	-	-	-	-	0.77	-	-	-	-	-	-
	11	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Table 5 Number of fishing vessel engaged in SBT fishery during 2002-2021

Year	No. of seasonal target vessels	No. of by-catch vessels	Total vessels
2002	21	50	71
2003	76	24	100
2004	79	18	97
2005	49	8	57
2006	33	3	36
2007	27	3	30
2008	35	6	41
2009	34	33	67
2010	65	17	82
2011	28	28	56
2012	12	24	36
2013	39	37	76*
2014	37	34	71
2015	45	27	72
2016	34	26	60
2017	43	32	75
2018	46	31	77
2019	44	28	72
2020	38	32	70
2021	37	21	58

\* There was one vessel shipwrecked.




Fig. 1 Annual SBT catches in number, fishing effort and nominal CPUE of Taiwanese SBT longline fishery in main fishing grounds.




Fig. 2 Annual nominal CPUE by area, by month and by year of Taiwanese SBT longline fishery in main fishing grounds




Fig.3 (1) SBT size frequency by area of Taiwanese SBT longline fishery in 2000s




Fig.3 (2) SBT size frequency by area of Taiwanese SBT longline fishery during in 2010s




Fig.3 (3) SBT size frequency by area of Taiwanese SBT longline fishery during in 2020s




Fig.4 (1) SBT size frequency by area of Taiwanese SBT longline fishery in 2017




Fig.4 (2) SBT size frequency by area of Taiwanese SBT longline fishery in 2018






Fig.4 (3) SBT size frequency by area of Taiwanese SBT longline fishery in 2019




Fig.4 (4) SBT size frequency by area of Taiwanese SBT longline fishery in 2020




Fig.4 (5) SBT size frequency by area of Taiwanese SBT longline fishery in 2021




Fig.5 (1) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2000s




Fig.5 (2) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2010s




Fig.5 (3) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2020s




Fig.6 (1) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2017




Fig.6 (2) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2018






Fig.6 (3) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2019




Fig.6 (4) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2020




Fig.6 (5) Fishing efforts distributions by quarter of Taiwanese SBT longline fishery in 2021




Fig.7 (1) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2000s




Fig.7 (2) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2010s




Fig.7 (3) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2020s




Fig.8 (1) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2017




Fig.8 (2) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2018






Fig.8 (3) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2019




Fig.8 (4) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2020




Fig.8 (5) SBT catch (in number) distributions by quarter of Taiwanese SBT longline fishery in 2021

Annex 1

## **Scientific Observer Program**

### **Observer Training**

To collect scientific information of tuna longliners, the scientific observer program of large-scale tuna longline fishery of Taiwan was launched in 2002. After trained, observers started being deployed on board and conducting the observation program of SBT in the following year.

To work in coordination with the FA, the Overseas Fisheries Development Council (OFDC) is responsible for implementing the program and recruiting scientific observers. The Program also invited researchers on fishery sciences and senior observers to form a special panel for designing the observer training program, items of observation, biological and by-catch information to be collected for scientific research and the format of data records.

The qualifications of recruitment for observer is senior high school graduation, with experience on-board preferred. They are also required the competence to live and work at sea. Candidate observers who have passed the oral examination will have to take a 4-week training program, and only those who pass the training program and medical check will be qualified and deployed on board as scientific observers.

Observer training program includes basic safety training for seafaring, operations of navigation devices and VMS system, identification of catch species, sea turtles, seabirds, sharks and marine mammals, sampling skill for muscle tissue, otolith, stomach content and gonad, and data collection for fishing activities, catches and locations, and basically understanding of Conservation and Management Measures and Resolutions of the RFMOs. After 3-weeks training, they are required to undergo at sea training on a training ship for one week and have a test in identifying tuna and tuna-like species at domestic fish market.

The Program held 1 and 2 batches of observer training respectively in 2020 and 2021, inviting experts and scholars to provide follow-up trainings on observer safety during maritime navigation, species identification, and sampling. The Program also

conducted observer experiences sharing events periodically, sharing at-sea observation practice, sampling technique, and potential problems that observers might encounter.

### **Scientific Observer Program Design and Coverage**

At the initial stage, for the purpose of encouraging industries to join the observer program, the observed vessels were offered reward catch quota after completing the observation cruise, if they fully cooperated with the observer's duties. However, this measure has been put an end since 2007. It is regarded as the obligation of industries to accept observer on board and the vessels were selected to carry observer by draw a lottery. Since 2008, upon completion of the observation missions, debriefers, served by senior observers, will examine observer's reports to enhance data accuracy.

The threat of Somalia piracy still exists in the tropical Indian Ocean. The same as recent years, most of our observers deployed on fishing vessels which operate in the southern Indian Ocean for the safety of observers, therefore, the observer coverage rate for SBT fishing vessels maintaining stability. In 2021, the deployment of observers was hindered by covid-19 pandemic, thus the observer dispatched on fishing vessels decreased greatly. The observer coverage rate by efforts and catches closely approach to 10% in 2021, however, the coverage rate by vessels still met the requirements.

In 2020 calendar year, 10 observers were deployed on 10 of the 38 fishing vessels authorized to target SBT seasonally, and 1 were deployed on 1 of the 32 fishing vessels authorized to bycatch SBT. There were 2,336 fishing days with 1,957 days observed. And 9 observers were deployed on 9 of the 37 fishing vessels authorized to target SBT, and 3 were deployed on 3 of the 21 fishing vessels authorized to bycatch SBT in 2021 with 1,343 days observed out of 2,142 fishing days. In 2020, the coverage rate of observation was 15.7% by vessels, 10.2% by hooks and 10.0% by catch. The coverage rate was accounted for 20.7% by vessels in 2021, 8.1% by hooks, and 8.5% by catch. To conducting effectively monitoring, it is necessary for FA to considering expanding the observer program and budget to reduce the affluence of fishing vessels changing which may involve the coverage rates.

## **Observer Data Collected**

The data recorded by observer on board includes 3 categories: vessel and gear attributes, set details and by-catch/incidental catch information (including sighting of marine mammals, sea turtles and sea birds).

The biological samples, including measurement of weight and length of all fishes during the observation time, and collection of otoliths, muscle tissues, stomach, and gonads of SBT, were carried out by observers on board. Table 2 shows the summary of biological samples collected by observers from 2020 and 2021. The length measurements of SBT in 2020 and 2021 were 2,842 and 3,010 respectively, and the number of otoliths of SBT collected were 55 and 29 in 2020 and 2021. The length measurements by species were summarized in Table 3.

## **Tag Return Monitoring**

The tags retrieved from SBT by Taiwanese fishing vessels are 779 in total among which 693 were released by the CCSBT and 86 tagged by CSIRO during 2002-2021. The details of tag recaptures for each year are shown in Table 4. The returned tags and the related information had been delivered to the CCSBT Secretariat.

## **Problems Experienced**

Although the program was fully supported by boat owners and masters of SBT observed vessels, there are still some difficulties that could not be resolved technically. For example: Sometimes the biological sampling device is damaged, but the homeport is far from the fishing ground, it will take more than 1 month to transport the supplies and equipment needed for sampling from Taiwan to fishing ground, and sometimes the supplies could not reach to observers on board in time. Besides, the samples collected by observers may be lost when they are transferred by transshipping vessels. In addition, it is also difficult to arrange interviews with masters for collecting information on fishing activities since these SBT fishing vessels seldom return to Taiwan when they finished SBT fishing.

Table 1 Summary of observed catch and effort by area and by month

(a) 2020 (calendar year)

Area*	Month	Numbers of vessels observed	Numbers of all vessels	Cover rate for the number of vessels	Number of hooks used by observed vessels	Number of hooks by all vessels	Cover rate for the number of hooks	Number of SBT observed	Number of SBT by all vessels	Cover rate for the number of SBT
<b>Area2</b>	<b>Total</b>	8	22	36.4%	854487	3891745	22.0%	1743	12107	14.4%
	3	-	1	-	-	6960	-	-	15	-
	4	4	7	57.1%	69765	168640	41.4%	32	42	76.2%
	5	6	12	50.0%	212557	738835	28.8%	347	1329	26.1%
	6	8	19	42.1%	281585	1290465	21.8%	741	4424	16.7%
	7	5	17	29.4%	194549	1197230	16.2%	448	4335	10.3%
	8	3	9	33.3%	82511	464615	17.8%	173	1955	8.8%
	9	1	1	100.0%	13520	25000	54.1%	2	7	28.6%
<b>Area8</b>	<b>Total</b>	5	25	20.0%	187323	3508928	5.3%	78	4507	1.7%
	3	4	23	17.4%	63972	1212149	5.3%	26	1357	1.9%
	4	4	23	17.4%	115392	1901509	6.1%	40	2681	1.5%
	5	2	12	16.7%	7959	383394	2.1%	12	320	3.8%
	6	-	3	-	-	11876	-	-	149	-
<b>Area9</b>	<b>Total</b>	1	32	3.1%	254520	3023787	8.4%	11	841	1.3%
	3	-	2	-	-	67500	-	-	0	-
	4	-	6	-	-	255100	-	-	11	-
	5	1	5	20.0%	60915	353800	17.2%	-	28	-
	6	1	14	7.1%	48135	673452	7.1%	2	57	3.5%
	7	1	15	6.7%	25785	365476	7.1%	4	70	5.7%
	8	1	14	7.1%	38565	273975	14.1%	-	143	-
	9	1	13	7.7%	29490	608560	4.8%	2	385	0.5%
	10	1	9	11.1%	51630	425924	12.1%	3	147	2.0%
<b>Area14</b>	<b>Total</b>	8	47	17.0%	680207	7664195	8.9%	1102	12001	9.2%
	1	-	1	-	-	19000	-	-	0	-
	3	-	1	-	-	3500	-	-	0	-
	4	-	13	-	-	163781	-	-	0	-
	5	4	22	18.2%	98773	1416836	7.0%	115	587	19.6%
	6	5	30	16.7%	98696	1079279	9.1%	289	2911	9.9%
	7	6	31	19.4%	237839	2003005	11.9%	586	4282	13.7%
	8	8	33	24.2%	202943	1894309	10.7%	112	3602	3.1%
	9	1	18	5.6%	41956	734805	5.7%	-	619	-
	10	-	10	-	-	349680	-	-	0	-
<b>Grand Total</b>		11	70	15.71%	1976537	18088655	10.9%	2934	29456	10.0%

\* The areas which with observer deployed.

CCSBT-ESC/2208/SBT Fisheries-Taiwan  
(ESC Agenda Item 4.1)

(b) 2021 (calendar year)

Area*	Month	Numbers of vessels observed	Numbers of all vessels	Cover rate for the number of vessels	Number of hooks used by observed vessels	Number of hooks by all vessels	Cover rate for the number of hooks	Number of SBT observed	Number of SBT by all vessels	Cover rate for the number of SBT
<b>Area2</b>	<b>Total</b>	9	24	37.5%	657432	3723840	17.7%	2083	14986	13.9%
	3	-	2	-	-	17932	-	-	0	-
	5	3	14	21.4%	72648	492330	14.8%	267	1316	20.3%
	6	7	22	31.8%	227982	1405575	16.2%	541	4538	11.9%
	7	6	16	37.5%	253573	1138255	22.3%	866	5988	14.5%
	8	5	11	45.5%	103229	581428	17.8%	409	2968	13.8%
	9	-	1	-	-	88320	-	-	176	-
	<b>Total</b>	2	18	11.1%	145330	2457300	5.9%	142	4115	3.5%
<b>Area8</b>	3	1	9	11.1%	6256	459570	1.4%	9	1168	0.8%
	4	2	15	13.3%	84463	1089270	7.8%	83	1136	7.3%
	5	2	13	15.4%	54611	792680	6.9%	50	1657	3.0%
	6	-	5	-	-	115780	-	-	154	-
	<b>Total</b>	2	18	11.1%	11504	2466998	0.5%	5	604	0.8%
	1	-	1	-	-	91240	-	-	0	-
<b>Area9</b>	2	-	1	-	-	36300	-	-	0	-
	3	-	1	-	-	108300	-	-	0	-
	4	-	9	-	-	337484	-	-	47	-
	5	1	10	10.0%	4128	767054	0.5%	2	164	1.2%
	6	1	7	14.3%	7376	376040	2.0%	3	75	4.0%
	7	-	7	-	-	393380	-	-	122	-
	8	-	2	-	-	94500	-	-	9	-
	9	-	2	-	-	87900	-	-	54	-
	10	-	1	-	-	119100	-	-	133	-
	11	-	1	-	-	55700	-	-	0	-
	<b>Total</b>	7	42	16.7%	327875	5477216	6.0%	984	18132	5.4%
<b>Area14</b>	4	-	2	-	-	29842	-	-	0	-
	5	-	7	-	-	231826	-	-	82	-
	6	7	34	20.6%	48555	1160957	4.2%	72	2373	3.0%
	7	4	25	16.0%	167240	2024994	8.3%	676	9064	7.5%
	8	3	24	12.5%	112080	1933079	5.8%	236	6479	3.6%
	9	-	5	-	-	96518	-	-	134	-
	<b>Total</b>	12	58	20.7%	1142141	14125354	8.1%	3214	37837	8.5%

\* The areas with observer deployed.



Table 2 Number of biological samples collected by observers in 2020 and 2021

Year		2020	2021
SBT catch data recorded		2934	3216
SBT length measured		2842	3012
Otolith	SBT	55	29
Gonad	SBT	138	78
	LEC	91	94
	OIL	108	28
	CEO	11	0
Muscle	Sharks	0	4
Vertebra	Sharks	4	0
caudal peduncle	Mahi mahi	132	44
	LEC	100	93
	OIL	121	28
	CEO	11	0
head	LEC	100	94
	SWO	0	6
	SBT	0	46
	OIL	121	28
	CEO	11	0
Scales	CEO	7	0
First dorsal fin spine	ALB	8	0
Stomach	ALB	40	0

Table 3 Number of the length measurements per species by area and by month

(a) 2020

Area	Area 2						Area 8			Area9						Area 14				
Month	4	5	6	7	8	9	3	4	5	5	6	7	8	9	10	5	6	7	8	9
Albacore	1802	4184	4134	2125	430	51	944	3071	242	1	3	3	0	0	1	1703	1586	1975	1833	757
Bigeye tuna	11	78	188	82	53	20	1	3	3	2	10	2	3	6	3	101	112	105	170	26
Black marlin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Pomfrets	0	6	1	6	11	0	0	2	0	0	0	0	0	0	0	1	0	7	4	0
Blue shark	32	45	35	25	42	18	28	46	0	26	40	7	15	8	9	24	12	41	57	14
Butterfly kingfish	26	30	6	1	0	0	25	77	0	0	0	0	0	0	0	0	0	0	0	0
Rudderfish	1	8	12	16	15	0	0	0	0	0	0	0	0	0	0	22	5	5	0	0
Common dolphinfish	5	12	14	1	2	7	0	0	3	0	0	0	0	0	0	25	4	7	14	3
Silky shark	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Opah	133	206	244	194	113	8	97	232	13	0	0	0	0	0	0	70	93	197	69	16
Escolar	9	37	106	57	32	0	3	5	6	54	76	24	62	54	68	88	75	734	368	76
Ocean sunfish	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Oilfish	0	6	14	27	9	0	3	0	0	1461	1124	641	935	649	1213	6	37	836	605	5
Pelagic fishes nei	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Rainbow runner	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Southern bluefin tuna	32	347	741	447	173	2	25	40	12	0	2	4	0	2	3	40	274	586	112	0
Indo-Pacific sailfish	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Skipjack tuna	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Shortfin mako	0	3	17	6	2	0	0	3	0	13	7	10	10	4	2	4	4	9	7	4
Shortbill spearfish	0	4	2	1	2	0	1	0	0	0	0	0	0	0	0	10	2	5	3	1
Swordfish	1	6	14	14	7	4	2	1	2	1	2	2	1	0	1	13	14	40	16	9
Wahoo	0	2	5	6	4	2	0	0	0	0	0	0	0	0	0	10	8	8	9	1
Yellowfin tuna	0	1	3	4	1	1	0	0	0	1	1	0	0	1	0	8	0	18	50	47

**(b) 2021**

Area	Area 2				Area 8			Area9		Area14		
Month	5	6	7	8	3	4	5	5	6	7	8	9
Albacore	1160	2057	1812	702	66	1535	1153	97	2	520	1705	739
Bigeye tuna	55	124	124	17	0	1	8	4	1	46	114	145
Pomfrets	1	8	15	0	0	1	1	0	0	1	0	4
Blue shark	6	13	18	15	1	15	10	6	6	5	11	9
Butterfly kingfish	12	11	0	0	1	37	15	0	0	1	0	0
Rudderfish	4	7	11	0	0	0	2	0	0	1	4	0
Common dolphinfish	6	6	4	2	0	0	0	0	0	1	2	6
Opah	69	286	194	218	10	160	88	0	0	39	42	28
Escolar	62	229	219	55	0	15	9	3	66	119	363	175
Striped marlin	0	1	0	0	0	0	0	0	0	0	0	0
Oilfish	6	13	13	3	0	9	3	13	234	99	446	13
Southern bluefin tuna	267	513	866	409	9	83	50	2	3	72	543	195
Skipjack tuna	0	0	0	0	0	0	0	6	0	1	0	2
Shortfin mako	9	9	6	2	0	1	2	1	0	0	12	3
Shortbill spearfish	0	6	2	2	0	0	0	0	0	1	2	0
Swordfish	12	14	25	5	2	5	6	0	6	6	38	9
Wahoo	2	3	0	3	0	0	0	0	0	0	0	4
Yellowfin tuna	1	15	0	5	0	0	0	18	0	0	2	6

Table 4 Number of SBT tag returned during 2002-2021

Year	Total		
		CCSBT	CSIRO
2002	18	2	16
2003	42	24	18
2004	133	112	21
2005	229	204	25
2006	259	253	6
2007	40	40	0
2008	5	5	0
2009	0	0	0
2010	27	27	0
2011	13	13	0
2012	5	5	0
2013	5	5	0
2014	1	1	0
2015	2	2	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0
2021	0	0	0
<b>Grand Total</b>	<b>779</b>	<b>693</b>	<b>86</b>