CCSBT-EC/0510/SBT Fisheries-Australia



Australian Government Bureau of Rural Sciences

# AUSTRALIA'S ANNUAL REVIEW OF THE SOUTHERN BLUEFIN TUNA FISHERY

by

P.I. Hobsbawn, J.D. Findlay, S. Rowcliffe and A. Bodsworth

Working Paper CCSBT-EC/0510/SBT Fisheries-Australia presented at the Second Meeting of the Extended Commission of the Commission for the Conservation of Southern Bluefin Tuna

Taipei, October 2005

# Contents

Co	ntents	
1.	Introduction	
2.	Operational Constraints on Effort	
	Regulatory Measures	
3.	Catch and Effort	
	Discards	7
4.	Historical Catch and Effort	
5.	Annual Fleet Size and Distribution	
	South Australia	
	Western Australia	
	New South Wales	
	Tasmania	
	Queensland	
6.	Historical Fleet Size and Distribution	
7.	Fisheries Monitoring	
	Catch Disposal Records	11
	Australian Daily Fishing Log and Farm Transit Log	11
	Farm Disposal Record	11
	Observer Program	
8.	Other Factors	
	Import/Export Statistics	
	Markets	
	Observer Coverage	
App	pendix 1: SBT Season Dates 1988–89 to 2004–05	

## 1. Introduction

This report summarises catches and fishing activities in the 2003–04 quota year<sup>1</sup> of the Australian Southern Bluefin Tuna (*Thunnus maccoyii*; SBT) Fishery. It also provides preliminary data on the 2004–05 surface fishery.

The Australian domestic SBT catches for the 2003 and 2004 calendar years were 5827 t and 5062 t, respectively. The 2003 calendar year catch is larger than the previously agreed national allocation to Australia of 5265 t because it represents the aggregation of catches from periods in two quota years. The 2002–03 quota year catch was 5391 t while the catch for the 2003–04 quota year was 5120 t. A catch above quota occurred in the 2002–03 year. This overcatch was paid back during the 2003–04 quota year. In August 2005 there was a prosecution for the illegal take of 5764 kg of SBT in the 2003-04 season. Adding this amount to the total reported for that season gives 5126 t, which is still under the agreed national allocation to Australia. Note that this amount has not been included in any of the other statistics reported in this paper.

Calendar	Catch	Quota	Catch (t)		
Year	<b>(t)</b>	Year			
1990	4586	1989–90	4849		
1991	4489	1990–91	4316		
1992	5248	1991–92	4894		
1993	5373	1992–93	5212		
1994	4700	1993–94	4937		
1995	4508	1994–95	5080		
1996	5128	1995–96	5188		
1997	5316	1996–97	4978		
1998	4897	1997–98	5097		
1999	5552	1998–99	5232		
2000	5257	1999–00	5257		
2001	4853	2000-01	5247		
2002	4711	2001-02	5262		
2003	5827	2002-03	5391		
2004	5062	2003-04	5120		

Table 1: Total domestic catch of SBT for calendar years and quota years

<sup>&</sup>lt;sup>1</sup> Various time periods, such as 'calendar years', 'fishing seasons' and 'quota years', can be used when describing Australia's SBT fishery. Unless otherwise indicated, we have used quota years in this report, but note that fishing seasons of the various fishery components often span quota years. The start and end dates of Australian quota years have varied and are presented in Appendix 1.

# 2. Operational Constraints on Effort

## **Regulatory Measures**

Domestic operations are managed through individual transferable quotas (ITQs) granted as Statutory Fishing Rights (SFRs) under the Southern Bluefin Tuna Management Plan 1995.

The Australian Fisheries Management Authority (AFMA) uses a risk based compliance strategy in the SBT purse seine and longline fisheries. This includes targeted compliance operations to check fishing vessels at sea, and at landing ports; a comprehensive audit trail from the time SBT are caught to the time they are exported, including random audits of fishing companies and export establishments; and then an annual review of compliance risks leading to refined strategies for the following season.

Australia has continued to use a combination of area restrictions, minimum quota holdings, fishery observers, and mandatory Vessel Monitoring Systems to reduce the incidental catch and mortality of SBT caught in the domestic longline fishery. A SBT habitat model incorporating archival tag and observer data with sea surface and sub-surface temperatures, is used to predict likely areas of high SBT abundance and hence the location of restricted access zones. For the 2004–05 season, the areas with a high probability of SBT interactions were subject to 100% observer coverage, and mandatory minimum quota requirements. This has eliminated the non quota mortality of longline caught SBT.

To improve compliance and management outcomes for its domestic fishery, and to better meet international management obligations, Australia implemented a range of amendments to its SBT Fishery statutory management plan on 1 December 2004. These included:

- revised objectives, management measures, and performance criteria;
- incorporation of the Commission's current stock-specific reference point;
- the development of a by-catch action plan and strategies to reduce broader environmental impacts;
- amendments to enhance the accountability of SBT Statutory Fishing Right holders against their allocated quota; and,
- daily at sea reporting of SBT taken and transferred into tow cages, provisional deduction of SBT quota based on at sea estimates of catch, and daily VMS or manual reporting of catch and tow vessel locations.

# 3. Catch and Effort

In 2003–04, 95.2% of the Australian catch of SBT was taken by purse seine with the remainder taken by longline (Table 2). The Australian catch of SBT for the calendar years 2003 and 2004 is mapped in Figure 1 and Figure 2 respectively. The nominal catch per unit of effort (CPUE) for the Australian longline fishery for the 2003 calendar year is shown in Figure 3, and for the 2004 calendar year in Figure 4.




Figure 1: Australian SBT catch in 2003




Figure 2: Australian SBT catch in 2004

2002-03		
Purse seine	South Australia	5375 t
Longline	Western Australia and New South Wales	17 t
2003-04		
Purse seine	South Australia	4874 t (small percentage for direct export, remainder for farms)
Longline	Western Australia, South Australia, New South Wales and Queensland	247 t

Table 2: Catch of SBT by fishing method in 2002–03 and 2003–04 Seasons

Insufficient data were available to provide an estimate of the recreational catch in 2004.

#### Discards

During the 2003–04 and 2004–05 seasons, no discarding of SBT was reported in logbooks collected in the purse seine fishery in the Great Australian Bight. Note that for the purse seine fishery, mortalities during tow operations are recorded in logbooks and included in the count for total number of fish caught. These fish are included in the results for total catch by purse seining. There were some escapes, releases and discards of SBT noted in observer reports.

In the 2003–04 season, a total of 366 fish were reported on logbooks as discarded in the longline fishery.

In 2004, AFMA observers monitored longline operations in the Eastern Tuna and Billfish Fishery during the months and areas in which SBT are most likely to be taken incidentally (i.e. south of 30°S from May to September). Observer data showed that 61% of longlined SBT were discarded during the observed operations. In contrast, the level of SBT discards recorded in logbooks from other vessels fishing during the same period south of 30°S was only 10%. In response to this new information the Australian Fisheries Management Authority has implemented tighter access controls and implemented 100% observer coverage for the 2005 season.

Over 2004 and 2005, observers monitored longline operations in the Southern and Western Tuna and Billfish Fishery. 100% of all SBT hooked were discarded during observed operations but it should be noted that levels of effort in this fishery are very low at present (i.e. only one or two vessels are operating). New arrangements are being developed for this fishery.

# 4. Historical Catch and Effort

Australian catch by gear and State for the quota years 1988–89 to 2003–04 is shown in Table 3. Catch and effort (number of search hours and number of vessels) by season, for seasons 1994–95 to 2004–05, in the purse seine fishery are show in Table 4.

Quota	Western Australia				5	South Au	stralia		New	South W	ales	r	Fasmania	ı	Larg	e Longli	ners		Australia	Fotal		Total
Year	Albany	Esperance	Long-	Total	Pole &	Farm	Long-	Total	Pole &	Long-	Total	Troll	Long-	Total	Aust.	Joint-	Total	Domestic	Domestic	Total	RTMP	All
	Pole	Pole	line		Purse	Cages	line		Purse	line			line		Charter	venture		Surface	Long-	Long-		Gears
					Seine				Seine										line	line		
1988-89	204	221	0	425	4872	0	0	4872	0	1	1	2	0	2	0	684	684	5299	1	685	0	5984
1989–90	133	97	0	230	4199	0	0	4199	0	6	6	14	0	14	0	400	400	4443	6	406	0	4849
1990–91	175	45	0	220	2588	0	0	2588	0	15	15	57	0	57	255	881	1136	2865	15	1151	#300	4316
1991–92	17	0	0	17	1629	138	14	1781	34	90	124	36	20	56	59	2057	2116	1854	124	2240	800	4894
1992–93	0	0	0	0	716	722	68	1506	16	238	254	23	44	67	0	2735	2735	1477	350	3085	650	5212
1993–94	0	0	0	0	621	1294	55	1970	0	286	286	7	105	112	0	2299	2299	1922	446	2745	270	4937
1994–95	0	0	0	0	908	1954	2	2864	0	157	157	4	109	113	0	1295	1295	2866	268	1563	650	5080
1995–96	0	0	0	0	1447	3362	0	4809	28	89	117	0	262	262	0	0	0	4837	351	351	0	5188
1996–97	0	0	0	0	2000	2498	0	4497	7	229	236	2	242	244	0	0	0	4507	472	472	0	4978
1997–98	0	0	^0	0	916	3488	^0	4403	~0	475	475	!0	219	219	0	0	0	4433	664	664	0	5097
1998–99	0	0	^0	0	28	4991	^0	5018	~0	97	97	!0	116	116	0	0	0	5016	216	216	0	5232
1999–00	0	0	^0	0	0	5130	13	5143	0	114	114	0	!0	0	0	0	0	5130	127	127	0	5257
2000-01	0	0	^0	0	0	5162	6	5168	0	32	32	0	!0	0	0	0	0	5162	38	38	0	5247
2001-02	0	0	7	7	0	5234	0	5234	0	*22	*22	0	!0	0	0	0	0	5234	29	29	0	5262
2002-03	0	0	≈0	0	0	5375	0	5375	0	17	17	0	0	0	0	0	0	5375	17	17	0	5391
2003–04	0	0	≈0	0	‡0	4874	†0	4874	0	*226	*226	0	20	0	0	0	0	4874	247	247	0	5120

Table 3: Australian catch by gear and State for quota years 1988–89 to 2003–04

<sup>#</sup> Note that a further 700t of Australian quota was 'frozen' (not allocated) in 1990–91.

^ 1997-98 and 1998-99 WA and SA non-farm catches are included in SA pole and purse seine catch, and in 1999–00 and 2000–01 WA longline catch is included in SA longline due to confidentiality guidelines.

~ 1997-98 to 1998-99 NSW pole and purse seine catches are included in NSW longline catch due to confidentiality guidelines.

! 1997-98 and 1998-99 Tas troll catches are included in Tas longline, and in 1999-00, 2000-01 and 2001-02 Tas longline catch is included in NSW longline due to confidentiality guidelines.

\* 2001-02 and 2003-04 NSW longline catch also includes QLD longline catch due to confidentiality guidelines.

 $\approx 2002\text{-}03$  and 2003-04 WA longline catch is included in NSW longline due to confidentiality guidelines.

† 2003-04 SA longline catch is included in NSW longline due to confidentiality guidelines.

‡ 2003-04 additional SA purse seine catch that did not go into farm cages is included in SA farm cages catch due to confidentiality guidelines.

Season	Estimated Catch (t)	Actual Catch (t)	No. Boats	Vessel Search Hours	No. Sets	1º Squares Fished
1994–95	2179	2009	5	526	104	5
1995–96	2859	3442	6	631	89	11
1996–97	3134	2505	7	769	118	13
1997–98	3916	3629	7	671	143	8
1998–99	4418	4991	7	972	129	3
1999–00	4746	5131	8	764	107	5
2000-01	5100	5162	8	799	129	2
2001-02	5400	5234	7	1309	159	3
2002-03	5188	5375	7	1276	150	5
2003-04	5299	4874	6	1202	160	4
2004–05	5225	5215	8	1168	139	4

Table 4: Purse seine catch and effort for seasons 1994–95 to 2004–05

Overall the data available on recreational catch of SBT is poor but an initial review revealed high year-to-year variability in catches and the locations in which SBT were taken. For the past ten years, indicative estimates of annual recreational catches ranged between 3 and 85 tonnes (Table 5) with the highest catches occurring around Tasmania (Table 4). These data are indicative estimates only and are based on a range of different data sources. Over the next twelve months Australia will work to improve these estimates including estimates for the period prior to 1994.

While there are insufficient data at present to quantify the total recreational catches of SBT for 2003–04 and 2004–05, high spatial catch variability was evident from anecdotal reports. 2003–04 was a good season for recreational SBT catches, especially around Pedra Branca, south of Tasmania. 2004–05 was a good season in South Australia but poor elsewhere, especially in Tasmania where the annual southern bluefin tuna tournament produced very disappointing catches of SBT (i.e. no SBT were caught).

Table 5:	Indicative estimates of recreational catch (tonnes) by Australian recreational fishers, 1994 to 2004
(So	urce: NSW Fisheries).

	Recreational
Year	Catch (t)
1994	16
1995	insufficient data
1996	insufficient data
1997	insufficient data
1998	38
1999	3
2000	10
2001	60
2002	85
2003	insufficient data
2004	insufficient data

# 5. Annual Fleet Size and Distribution

In 2003–04, a total of 55 commercial fishing vessels landed SBT in Australian waters.

#### South Australia

The one- to five-year-old SBT, which school from late spring to autumn in surface waters of the eastern Great Australian Bight, South Australia, were fished by six purse seiners during the 2003–04 quota year, but various live bait, pontoon-towing and feeding vessels were also involved. Some older fish were also caught. Fishing commenced in early December 2003 and finished in late March 2004.

#### Western Australia

Two longliners caught SBT off the WA coastline in 2003–04. For confidentiality reasons all catches are incorporated in the NSW longline catch. Longline fishing in WA commenced in March 2004 and finished in December 2004.

#### **New South Wales**

During 2003–04, 40 domestic longliners participated at some time in the area of the fishery for older juveniles and adults in deeper waters off NSW. Longline fishing off NSW commenced in May 2004 and finished in September 2004.

#### Tasmania

Nine longliners caught SBT off south-eastern Tasmania between late November 2003 and early January 2004.

#### Queensland

Four longliners caught SBT off the coast of south-eastern Queensland between July and September 2004. For confidentiality reasons, Queensland catches are incorporated in the NSW longline catch.

### 6. Historical Fleet Size and Distribution

Troll catches of SBT were reported as early as the 1920s off the east coast of Australia but significant commercial fishing for SBT commenced in the early 1950s with the establishment of a pole-and-live-bait fishery off New South Wales, South Australia and, later (1970), Western Australia. Purse seine gear overtook pole as the predominant method and catches peaked at 21 500 t in 1982. The bulk of this early Australian catch of SBT was canned. Following quota reductions in 1983–84, the Western Australian pole fishery for very small juveniles closed down and the south-eastern fishery began to target larger juveniles to supply the Japanese sashimi market. Surface catches were further reduced between 1989 and 1995 when about half of the Australian total allowable catch (TAC) was taken by Australia–Japan joint venture longliners in the Australian Fishing Zone (AFZ). The joint venture ceased in late 1995. From 1992 to 1998, domestic longliners operating off Tasmania and New South Wales also took around 5–10% of the total Australian catch.

In 1990–91 about 20 t of SBT tuna were transferred to fattening cages in Port Lincoln, South Australia, to enhance their value. Utilisation of the Australian SBT TAC in 'farming' operations increased from 3% of the TAC in 1991–92 to 98% in 1999–00 and it has remained at similar high levels since.

Following declaration of the Australian Fishing Zone (AFZ) in 1979, Japanese longliners fished under a range of bilateral conditions, real time monitoring program and joint-venture arrangements until 1997 when Japanese longliners were excluded from all AFZ fishing operations following failure to reach agreement on global TAC within the CCSBT. Caton and Ward (1996) provide copies of annual subsidiary agreements for the operations of bilateral-licensed longliners in the AFZ from 1979–80 to 1994–95.

# 7. Fisheries Monitoring

There are a series of logbooks and associated catch records that are required by law to be completed by fishers and fish receivers and sent to AFMA for the purposes of monitoring, compliance and research. The type of form used is dependent on the type of method used to catch SBT in the fishery. All of the data provided from Logbooks and Catch Disposal Records must be supplied to AFMA within specified time periods specific to each record.

### Catch Disposal Records

Catch disposal records for SBT are for recording SBT taken by fishers for the purposes other than farming and are signed by the fishing concession holder and the first receiver immediately after unloading the catch. Catch disposal records provide a means to verify logbook data.

### Australian Daily Fishing Log and Farm Transit Log

A logbook form is required to be completed by fishers when using pelagic longlining or when fishing with minor line methods. The Australian Pelagic Longline Daily Fishing Log is required to be completed for longline fishing. In the purse seine fishery the Master of the catcher vessel (with quota assigned) is required to complete the Australian Purse Seine and Pole Daily Fishing Log – for farmed SBT only. A specific permit called the Farm Transit Log is completed by the holder of the SBT carrier boat permit or representative, and provided to the monitoring company which undertakes the fish count when fish are transferred from tow cages to farm cages.

# Farm Disposal Record

A specific process has been designed to obtain data to allow for research and monitoring from farming operations. An independent company is contracted annually by AFMA to monitor the farming operations. All mortalities that occur during the capture and towing operations must be recorded on the appropriate form and must be available for inspection if requested by an AFMA officer.

When SBT are transferred from tow cages to the fish farms, a video record must be carried out by the AFMA contracted monitoring company. The video recording is then used to undertake a count of the fish that are

transferred into the fish farm. This count of captured fish will be multiplied by the average fish weight (derived from a 40 fish sample) and decremented from quota using the Farm Disposal Record. AFMA Compliance Officers observed at sea operations during both the 2003–04 and the 2004–05 seasons.

#### **Observer Program**

Observer programmes for the purse seine fishery have been in place since the 2002–03 season, and for the longline fishery (south-eastern part of the Eastern Tuna and Billfish Fishery) since the middle of 2002.

The monitoring arrangements in the SBT fishery continue to be reviewed and refined in order to improve monitoring and compliance. To minimise the risk of non-quota take of SBT by longliners off New South Wales, since 2000, access to the waters through which SBT migrate has been restricted to vessels holding SBT quota.

# 8. Other Factors

#### Import/Export Statistics

The Trade Information Scheme that records all exported Australian fish has been implemented and refined. A Trade Information Scheme (TIS) form is completed by an authorised signatory from the export-registered establishment that is the last to handle the consignment before the product leaves Australia and validated by a Government officer. The form is used for both farmed and non-farmed SBT. This program provides a complete record of SBT exports that can be compared with the Japanese Import Statistics.

#### Markets

In the 2003–04, in order of 30 t of SBT is retained for the domestic market; approximately 80 t was exported to the USA; and the remainder of the Australian catch was exported to Japan.

#### **Observer Coverage**

The purse seine observer programme for the 2004–05 Australian SBT fishing season monitored fishing and tow operations between 33 and 34°S and 132 and 133°E in January and February 2005. One Australian and one American observer monitored 15 purse seine sets representing 11% of the total sets in which fish were taken in that season.

The 2004 observer programme for the Eastern Tuna and Billfish Fishery south of 30°S commenced in May and concluded in September, the months in which SBT are usually caught. In those months 11 observers monitored 183 thousand hooks of a season total of 1.57 million (May-Sept, south of 30°S), representing 11.7% observer coverage of longline effort in this fishery.

In the Southern and Western Tuna and Billfish Fishery, eight voyages and 59 sets out of a season total of 1321 were observed. Observer coverage of hook sets for the whole season was 4.5% in this fishery.

# Appendix 1: SBT Season Dates 1988–89 to 2004–05

Quota Year	Start Date	End Date
1988–89	1 October 1988	30 September 1989
1989–90	1 October 1989	30 September 1990
1990–91	1 October 1990	30 September 1991
1991–92	1 October 1991	31 October 1992
1992–93	1 November 1992	31 October 1993
1993–94	1 November 1993	31 October 1994
1994–95	1 November 1994	15 December 1995
1995–96	16 December 1995	15 December 1996
1996–97	16 December 1996	30 November 1997
1997–98	1 December 1997	30 November 1998
1998–99	1 December 1998	30 November 1999
1999–00	1 December 1999	30 November 2000
2000-01	1 December 2000	30 November 2001
2001–02	1 December 2001	30 November 2002
2002–03	1 December 2002	30 November 2003
2003–04	1 December 2003	30 November 2004
2004–05	1 December 2004	30 November 2005